













PETROL | DIESEL | ELECTRIC


P&LARIS

## **ABOUT US**

# GLOBAL MANUFACTURER AUSTRALIAN & NEW ZEALAND SUBSIDIARY NATIONAL SALES AND SERVICE NETWORK

- Polaris Australia & New Zealand is a fully-owned subsidiary of parent company and US powersports giant Polaris Inc (NYSE: PII), providing full sales and aftersales support to Australian and New Zealand customers.
- Polaris has a national network of franchised dealers covering all major locations across Australia & New Zealand.
- Polaris dealers are fully trained and capable of providing all local technical and service support.
- Polaris SxS are the number 1 selling brand in both Australia & New Zealand.





				A SAME
TABLE O	F CONTE	NTS		
	I The Part of the			
	Late 16 1			
gester than	and the same of th		200 y 200	
34				
	No.		RANGER	
A CHARLES	X		3	
	1			
	95 5 8 8		<b>4</b>	

POLARIS INTERNATIONAL CORPORATE6
POLARIS SAFETY & TECHNOLOGY8
SHOP ON LINE9
POLARIS SAFETY AND TECHNOLOGY10
IS MID SIZE YOUR SIZE12
POLARIS GOVT & DEFENCE, COMMERCIAL14
V'D UP - POLARIS' ELECTRIFICATION STRATEGY16
PGA18
TIPS ON SERVICE & MAINTENANCE26
YOUTH
RANGER 150 EFI 30
RZR 200 EFI32
AGRICULTURE/UTILITY
RANGER SP 530 38
RANGER 570 HD EPS ADC40
RANGER SP 570 PREMIUM 42
RANGER 1000 EPS 44 Ranger 1000 premium 46
RANGER 1000 FREMION 40  RANGER XP 1000 HD EPS ADC 48
RANGER DIESEL HD EPS ADC50
RANGER XP 1000 NORTHSTAR PREMIUM52
RANGER XP KINETIC PREMIUM54
RANGER XP KINETIC ULTIMATE56
RANGER CREW SP 570 PREMIUM58 Ranger Crew 1000 premium60
RANGER CREW XP 1000 PREMIUM 62
RANGER CREW XP 1000 NORTHSTAR PREMIUM64
COMMERCIAL/UTILITY PRO XD DIESEL AWD EPS 70
PRO XD DIESEL AWD EPS70  PRO XD FULL SIZE DIESEL CREW72
RANGER XP KINETIC PREMIUM54
RANGER XP KINETIC ULTIMATE56
WORK AND PLAY
GENERAL 1000 SPORT76
GENERAL XP 1000 SPORT78 General XP 4 1000 Sport80
SPORT/RECREATIONAL
RZR TRAIL SPORT - 50" 86
RZR TRAIL S 1000 PREMIUM – 60"88
RZR XP 1000 SPORT - 64" 90
RZR PRO XP SPORT - 64" 92 RZR PRO XP ULTIMATE - 64" 94
RZR XP 4 1000 PREMIUM EPS - 64"96
RZR PRO XP 4 SPORT - 64"98
RZR PRO XP 4 ULTIMATE – 64"100
RZR TURBO R SPORT - 74"110
RZR TURBO R ULTIMATE - 74"112
RZR TURBO R 4 ULTIMATE- 74"114 RZR PRO R ULTIMATE - 74"116
RZR PRO R 4 ULTIMATE - 74"118
SPECIFICATIONS122
JI LOTITORIJ122



# PELARIS 2023 MODEL LINE UP



#### YOUTH



RANGER 150 EFI



RZR 200 EFI



#### AGRICULTURE/UTILITY



RANGER SP 530



RANGER 570 HD EPS ADC



RANGER SP 570 PREMIUM



RANGER SP 570 NORTHSTAR



RANGER 1000 EPS



RANGER 1000 PREMIUM



RANGER XP 1000 HD EPS ADC



RANGER DIESEL HD EPS ADC



RANGER XP 1000 NORTHSTAR PREMIUM



RANGER XP KINETIC PREMIUM



RANGER XP KINETIC ULTIMATE



RANGER CREW SP 570 PREMIUM



RANGER CREW SP 570 NORTHSTAR



RANGER CREW 1000 PREMIUM



RANGER CREW XP 1000 PREMIUM



RANGER CREW XP 1000 NORTHSTAR PREMIUM

#### COMMERCIAL/UTILITY



PRO XD DIESEL AWD



PRO XD DIESEL CREW AWD



RANGER XP KINETIC PREMIUM



RANGER XP KINETIC ULTIMATE

#### **WORK AND PLAY**



GENERAL 1000 SPORT



GENERAL XP 1000 SPORT



GENERAL XP 4 1000 SPORT

#### SPORT/RECREATIONAL



RZR TRAIL SPORT - 50"



RZR TRAIL S 1000 PREMIUM - 60"



RZR XP 1000 SPORT - 64"



RZR XP 4 1000 PREMIUM EPS - 64"



RZR PRO XP SPORT EPS - 64" RZR PRO XP ULTIMATE - 64" RZR PRO XP 4 SPORT - 64"







RZR PRO XP 4 ULTIMATE - 64"



RZR TURBO R SPORT - 74"



RZR TURBO R ULTIMATE - 74"



RZR PRO R ULTIMATE - 74"



RZR TURBO R 4 ULTIMATE - 74"



RZR PRO R 4 ULTIMATE - 74"





## POLARIS AT A GLANCE

Polaris is a global leader in the powersports and outdoor recreation industries. Driven by innovation, we offer a diverse portfolio of best-in-class brands that reflect our pioneering approach to help

Please Note: Not all brands and products are available in Australia.

our customers work and play outdoors.

For Australia Product Range - www.polarisaustralia.com For International Corporate Product Range - www.polaris.com



Founded: 1954 in Roseau, MN, USA



2021 Sales: **\$8.2** Billion





Employees: Nearly
15,000
Globally



Countries Served:

























#### USING YOUR SXS VEHICLE

# SAFELY

A message from Polaris about how to use your SxS vehicle safely.

Polaris has engineered the most capable utility and recreational off-road vehicles packed with safety technology such as Engineered Roll Over Protection (ROPS) Roll Cages, Active Decent Control (ADC), True On Demand All Wheel Drive and more. However when operating a side by side vehicle off-road, the Driver/User and passengers must ensure that they operate the vehicle safely. Here are a few Tips and Hints on how to enjoy your Side by side vehicle safely.

#### **TIPS**



Always wear a seat belt.

Most injuries occur from passengers
or limbs being ejected from the vehicle
during an accident. Seat belts are your
best friend.



An appropriate helmet is recommended for all occupants (Driver & Passengers). The more passengers in a vehicle, the more likelihood of "head to head" impacts.



- Be aware of HIGH RISK situations such as sloping and hilly Terrain.
- Slow is best when navigating hilly or obstructed terrain.
- In these higher risk situations always use LOW RANGE.



 Overloading - Your Polaris is designed to carry a certain maximum load (which varies from model to model).
 Never exceed the maximum load and remember a loaded vehicle may handle and respond differently to an empty vehicle.



Be aware of your vehicle condition.
 In particular it is a good habit throughout your driving day to visually check that your tyres are correctly inflated and you have not picked up a puncture or have a partially inflated tyre. Correct tyre pressures are important for traction and handling.




## THINK OUTSIDE SHOP ONLINE

### SHOP PELARIS

www.shoppolaris.com.au



Your 24/7/365 online Accessory & Merchandise store. Browse - Order - Deliver straight to your door.






















**WATCH NOW** 



#### **YOUTH VEHICLES**

Our youth models are pact with safety features and benefits such as roll cages, seat belts, two free helmets, geofencing technology, password protected safe start, digital speed limiting, seat belt interlocking system and all-new helmet aware technology.



#### SPEED CONTROL & GEOFENCING TECHNOLOGY

The Speed Control & Geofencing Technology accessory kit keeps vehicle operators safe by controlling maximum speed in specified operating areas and can be programmed via the Polaris Ride Command app.





#### **FREE HELMETS:**

To promote safe riding practices, Polaris offers 2 free helmets with the purchase of every RANGER SxS vehicle.





## ACTIVE DECENT CONTROL

Active Decent Control (ADC) is a game-changer in steep terrain. When you're driving down a slippery or steep hill, engaging ADC will optimize vehicle grip so you can descend with confidence.

#### TRUE ON-DEMAND AWD

Polaris' fast-engaging, True On-Demand AWD is a cut above the rest. Get the traction you need, when you need it, for rough terrain.





#### **RIDE COMMAND**

Ride Command keeps you connected, even without a signal. Through the in-dash display, you can access your maps and location and send messages to your group via Group Ride Messaging. With other features like an integrated rear camera, we're always looking for ways to improve safety through technology.



## VEHICLES ENGINEERED WITH SAFETY IN MIND

Polaris SxS vehicles are designed with safety in mind. The youth models are equipped with a Full Protective Cage and all Adult models with a Certified Roll Over Protection System (ROPS), seat belts or harnesses, and doors or nets with full door systems available.



# "Is Mid Size Your Size"




Mid-Size means it's a little shorter and a little narrower than the full-sized 3-seat range, but that also means it's more nimble, more manageable and more manoeuvrable.



**WATCH NOW** 

## WE ALL CAN HELP CREATE MORE LAND ACCESS FOR SXS DRIVING

#### **JOIN AORVA TODAY - IT'S FREE TO JOIN**



By joining the Australasian Off Road Vehicle Association your membership ads weight to our efforts to gain more access to both private and public land for SxS Recreational driving.

PLEASE JOIN AORVA TODAY



To find out more and become a member please visit

www.aorva.com.au

## CREATE YOUR OWN MEMORIES IN THE GREAT AUSSIE OUTDOORS

#### **POLARIS, FAMILY & MATES**

DRIVING MEMORIES MONEY CAN'T BUY



"I couldn't put a value on the time I spend with mates & my family In a remote Aussie bush setting"








**WATCH NOW** 






# CORPORATE FLEET PROGRAM

#### **Benefits:**

- The biggest and best range of utility vehicles
- Petrol, diesel and electric power sources
- 2, 3, 4 and 6 seat models with Certified Roll Over Protection Systems (ROPS)
- Large range of Polaris engineered accessories for safety, comfort and functionality
- Fleet discounts on vehicles, accessories and service parts
- Expertise and service from a qualified national dealer network

Contact us today: info@polariscommercial.com.au





**ULTRA-QUIET** RIDE



INSTANT **ACCELERATION** 



**TOW HEAVY PAYLOADS** 



**LOWER COST TO MAINTAIN** 

# **ELECTRIC ADVANTAGES**

In 2020, Polaris announced a 10-year exclusive partnership with Zero Motorcycles - a global leader in electric motorcycle powertrains and technology - to co-develop electric vehicles as part of Polaris' rEV'd up electrification strategy. Polaris aims to offer customers an electric vehicle option within each core product segment across off-road vehicles and snowmobiles by 2025.

This isn't electrification for electrification's sake. We're always leading the charge, exploring new technologies to drive innovation off-road, with high-performance electric powertrains creating a way to unlock the potential of what you do outdoors. It's allowed us to design vehicles with more power and more torque to make the most capable SxS ever built. Period.

The first new model from this collaboration is the 2022 Ranger XP Kinetic.

## THINGS YOU'LL NEVER DO AGAIN



**BUY PETROL** 



CHANGE ENGINE OIL



CHANGE FUEL FILTER



REPLACE SPARK PLUGS



CHECK EXTERNAL FUEL HOSES




CHANGE AIR FILTER



## **PCLARIS**

## **GENUINE PARTS & ACCESSORIES**





- 2. Bull bar and side rail kit #AUST548
- 3. Poly half door #2882559
- 4. Tip down Headache rack #2881531
- 6. Poly rear panel #2883773
- 7. Pro Armor 81cm single-row light bar



- 1. Steel half doors #AUST510
- 2. Tip out front screen #2881784
- 3. Matte black six'r alloy rims #1521507-521
- 4. Pro Armor attack tyres #5415613
- 5. Canvas seat covers #P7720
- 6. Front brushguard #2879973
- 7. Polysport roof #2883236
- 8. Cargo max system #2882177
- 9. Rear poly panel #2879812
- 10. Rear brushguard #2879972 11. Pro Armor 25cm dual row light bar #2882075
- 12. Work beacon led light #2883265

FOR YOUR COMFORT, SAFETY **PROTECTION** 



- 1. Premium poly sports roof #2882912
- 2. Tip out windscreen #2889013
- 3. Poly rear panel #2883773
- 4. Steel half doors #AUST508
- 5. Scrub bar and side rail kit #AUST555 6. Work beacon led light #2883265
- 7. Ranger snorkel kit #AUST403
- 1. Crew Poly sports roof #2883274 2. Full glass windshield #2889030 3. Windshield wiper kit #2883974 4. 76cm Pro Armor dual row light bar #2882074 5. 25cm Rear-facing Rigid light bar #2883123

6. Crew - Rock guard with step #2883398

- 7. Poly front doors #2882561
- 8. Poly rear doors #2883437
- 9. 2,041kg Pro heavy duty winch #2882711
- 10. Front hood storage rack #2882690
- 11. Rear cargo max system #2882177





Mark Larkham talks about Polaris Genuine Accessories.

# POLARIS GENUINE ACCESSORIES

"GET MORE DONE"
-Mark Larkham



#### Polaris Off-Road Vehicle Doors





Polaris Australia

Polaris Off-Road Vehicle Windscreens





🔼 /Polaris Australia

Polaris Off-Road Vehicle Roofs





🔼 /Polaris Australia



Polaris' innovative LOCK & RIDE system allows for the quick and easy fitment and exchange of <u>a wide selection</u> of different accessories.

Most accessories using the LOCK & RIDE system do not require tools for accessory fitment.

Simply use the LOCK & RIDE toggle system to quickly remove and refit different accessories for different work tasks.

POLARIS LOCK & RIDE - GET MORE DONE

## LARKO EXPLAINS LOCK & RIDE





**WATCH NOW** 



#### THE TIGHTEST SEALING CAB

With the profile channels engineered into the roll cage, body plastics molded to seal and cab accessories designed to keep the elements out, the RANGER Pro Shield™ Cab System offers an industry-leading, 3x better dust seal.






#### PLUG & PLAY ELECTRICAL

A revolution in electrical accessory integration, the Polaris Pulse™ Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories™.

#### LOCK & RIDE

## CARGO BOX

Lock & Ride® mounting locations allow for limitless customization to let you work the way you want.



FOR MORE


**ENGINEERED** 



### INTEGRATED WINCH

Designated mounting points and pre-wired contactors ensure a perfect fit and the strongest place to attach the Polaris Engineered™ winch - the most dependable winch for your RANGER®. With wiring built right into the vehicle, we made this the easiest RANGER® winch ever made to install.











# BRING IT ALL. BRING IT ON.

From opposite sides of the globe, the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive, purpose-built roof racks, bed racks and accessories to help Polaris RANGER and GENERAL users have more fun and get more done. Increase storage capacity so you can go where you want with everything you need, organized to succeed.



#### RANGER



ROOF OR BED RACK

Rust-resistant Rhino-Rack® rack systems are designed to fit with ease onto your RANGER.



ATTACH WITH MOUNT

Mounts are required to install bed and roof racks on your RANGER. Some assembly is required.



ADD ACCESSORIES

Pack more into your adventure ahead with a broad range of superior-quality Rhino-Rack® accessories.



**READY TO RIDE!** 

Whether you're on the trail of work or play, Polaris and Rhino-Rack® will help you stay prepared for whatever the day may bring.

### GENERAL



BED RACK

Rhino-Rack's® rust-proof storage system allows you to mount to the bed of your vehicle for maxi mum storage. Mounts are included.



#### ADD ACCESSORIES

Pack more into your adventure ahead with a broad range of superior-quality Rhino-Rack® accessories.



#### READY TO RIDE!

Whether you're on the t rail of work or play,
Polaris and Rhino-Rack® will help you stay prepared for
whatever the day may bring.

# TIPS ON SERVICE & MAINTENANCE

PREVENTATIVE
MAINTENANCE IS THE
BEST KIND OF MAINTENANCE

Most Polaris drivers are using their vehicle for work or play. In either circumstance, you don't want to be let down at the most inconvenient time. The better you maintain your Polaris, the more reliable it will be. Here are a few tips to ensure you get the very best Polaris reliability always.

## UTILITY/WORKING ENVIRONMENT

If you are using your Polaris in a work environment, you might be surprised just how quickly you clock up the hours on the vehicle. There are certain key parts that need to be inspected and maintained more regularly for the very best performance and reliability.

It's recommended that regular inspection and maintenance where needed is carried out on

- FLUID LEVELS
   Check Water and Engine Oil levels every week
- WEAR PARTS
   Check Tyres for signs of damage or underinflation daily
   Check Air filter and replace more regularly if operating in Dry & Dusty conditions

#### RECREATIONAL DRIVING

If you use your Polaris for Sport/Recreation, you may not use it on a regular basis with time gaps in between. To avoid disappointment when you get out to your driving destination, its recommended to always check the following items a couple of days in advance:

- Battery charge.
- · Tyre inflation and condition.
- Fluid levels particularly Water and Engine Oil.
   If low levels are detected check for leaks.
- Brake pedal pressure.
- Start up the engine and let it warm up for 5 minutes then check for leaks.

THE POLARIS OWNERS MANUAL OUTLINES RECOMMENDED MAINTENACE & SERVICE INTERVALS FOR EACH MODEL. YOUR POLARIS DEALER CAN PROVIDE ADVICE SPECIFICALLY RELATING TO YOUR PARTICULAR DRIVING CONDITIONS AND OPERATION. AT LEAST ANNUALLY, OR PER THE SERVICE INTERVALS (HOURS/KLMS) ADVISED, YOUR POLARIS DEALER SHOULD PERFORM A THOROUGH INSPECTION AND SERVICE.

#### THE BETTER YOU MAINTAIN YOUR VEHICLE THE MORE RELIABLE IT WILL BE



#### YOUR LOCAL POLARIS DEALER

# YOUR LOCAL POLARIS EXPERT - WILL STEER YOU RIGHT

LOCAL KNOWLEDGE & SUPPORT BACKED UP BY AUSTRALIA'S #1 SELLING SXS BRAND

Your local Polaris Dealer is usually an independently owned business with significant experience in the local area. Most likely your Polaris Dealership is a family business which is often been in operation for two or more generations.

Your Polaris Dealer has made a significant investment in training, staff and resources to be able to provide our customers with the very best in after sales service and support.

#### YOUR LOCAL POLARIS DEALER OFFERS:


- Service Technicians that are fully trained and certified by the University of Polaris.
- Online Technical and Warranty support from the Polaris Technical Centre.
- Fully trained sales staff who know the local area and operating conditions and which is the best Polaris vehicle to recommend for your needs.
- A complete range of new vehicles (stock availability permitting).
- A comprehensive inventory of the most common service/ maintenance parts.
- A representative range of Genuine Polaris Engineered Accessories to fit your vehicle and meet your needs that allows you to GET MORE DONE in safety and comfort.
- Some Dealers offer Pickup and Delivery services. Costs may apply.











CHOOSE YOUR
YOUTH MODELS



RANGER 150 EFI



RZR 200 EFI





#### RANGER 150 EFI



Colour Options



Avalanche Gray











4 STROKE ENGINE - 150CC

ELECTRIC START

POLARIS VARIABLE TRANSMISSION

DAYTIME LED RUNNING LIGHTS

ELECTRONIC FUEL INJECTION





4 WHEEL

HYDRAULIC

DISC



RIDE COMMAND WITH GEOFENCING AND SPEED LIMITING CONTROL



PASSCODE PROTECT



TWO APPROVED YOUTH HELMETS



REVERSE GEAR

#### ENGINE & DRIVETRAIN

Displacement / Engine Type	150cc / 4-Stroke Single Cylinder EFI

Drive System Type 2WD

#### SUSPENSION

HLU

**□** ×

Front Suspension	Single A-Arm with 13 cm Trave

Rear Suspension Dual Shock Swingarm with 15.2 cm Travel

Front Tyres 22 x 7-10 Wanda

Rear Tyres 22 x 10-10 Wanda

Wheels Stamped Steel

#### DIMENSIONS

Bed Box Dimensions	53.3 x 106.7 x 12.7 cm
(1 ) (1 ) (1 )	

 $(L \times W \times H)$ 

Fuel Capacity 9.5 L

Ground Clearance 20.3 cm

Vehicle Size (L x W x H) 215.9 x 121.9 x 147.3 cm

Payload Capacity 170 kg

Box Capacity 22.7 kg

Wheelbase 165.1 cm

Estimated Dry Weight 305 kg

#### ADDED FEATURES

Protective Cage 2 Youth Helmets, Training Other Standard Features

DVD, Youth Ride Control (Pin Code Start,

Adjustable Speed Limiter, Geofencing,

Seat Belt, Safety Flag, Safety Nets, Full

Helmet Aware).

The speed of this vehicle is restricted to under 26 km/h at manufacture. The speed limiting device may be adjusted by supervising adults when they determine that their child is capable of handling additional speed. The unrestricted top


speed for this model is 46 km/h

Suitable for ages 10 and over

Age Limit

Speed Limiter







#### RZR 200 EFI



Colour Options



White Lightning/Indy Red











4 STROKE ENGINE - 180CC

ELECTRIC START

**POLARIS** VARIABLE TRANSMISSION

SAFETY FLAG

**ELECTRONIC** FUEL INJECTION















4 WHEEL HYDRAULIC DISC

RIDE COMMAND WITH GEOFENCING AND SPEED LIMITING CONTROL

PASSCODE PROTECT

TWO APPROVED YOUTH HELMETS

HELMET AWARE **TECHNOLOGY** 

#### ENGINE & DRIVETRAIN

Displacement / Engine Type	180cc / 4-Stroke Single Cylinder EFI

#### Drive System Type 2WD

#### SUSPENSION

H L

0 >

Front Suspension	Dual A-Arm with 17.8 cm Travel

Rear Suspension	Independent Rear Suspension with 17.8 cm
Real Suspension	Travel

Front Tyres 24 x 8 - 12 CST

Rear Tyres 24 x 10 - 12 CST

Wheels Stamped Steel

#### DIMENSIONS

Bed	Е	ox	(	Dimensions

 $(L \times W \times H)$ 

41.9 x 48.3 x 10.1 cm

**Fuel Capacity** 9.5 L

**Ground Clearance** 25.4 cm

Vehicle Size (L x W x H) 225.6 x 121.9 x 151.2 cm

Payload Capacity 170 kg

Box Capacity 22.7 kg

Wheelbase 165.1 cm

Estimated Dry Weight 334 kg

#### ADDED FEATURES

Other Standard Features

Digital Display with Gear Indicator, Odometer, Trip Meter, Voltage, Engine Temperature, Engine Hour Interval, Ground Instrumentation Speed, Engine RPM, Youth Ride Command

(Speed Limiting, Geofencing, Helmet Aware)

Seat Belt, Safety Flag, Safety Nets, Full

Protective Cage,

2 Youth Helmets, Training DVD, Youth Ride Control (Pin Code Start, Adjustable Speed

Limiter, Geofencing, Helmet Aware).

LED Running Lights, Single Rear Lighting

Breakelight/Taillight





## RANGER 150 EFI




### RZR 200 EFI



# DARE TO COMPARE

COMPARE THE FACTS	RANGER 150 EI	FI	RZR 200 E	EFI	
HELMET	Yes	/	Yes	<b>/</b>	
SAFETY FLAG	Yes		Yes	/	
SAFETY TETHER	Yes	/	Yes	/	
SPEED LIMITER	Yes	/	Yes	/	
HEADLIGHTS	Yes	/	Yes	/	
ENGINE CAPACITY (CC)	150cc		180cc	/	THERE ARE
ELECTRONIC FUEL INJECTION (EFI)	Yes	/	Yes	/	NO COMPETITORS
ELECTRIC START	Yes	/	Yes	/	
TRANSMISSION	Automatic •		Automatio	· 🗸	
REVERSE GEAR	Yes	/	Yes	/	
SUSPENSION TRAVEL FRONT/REAR (MM)	130 / 152		178 / 178	/	
RIDE COMMAND WITH GEOFENCING	Yes	/	Yes	/	
ROLL OVER PROTECTION STRUCTURE	Yes	/	Yes	/	
ADJUSTABLE STEERING WHEEL	Yes	/	Yes	/	
ADJUSTABLE DRIVER SEAT	Yes	/	Yes	/	





### CHOOSE YOUR

# AGRICULTURE/UTILITY MODELS

RANGER SP 530



RANGER 570 HD



RANGER SP 570 PREMIUM



RANGER SP 570 NORTHSTAR



RANGER 1000 EPS



RANGER 1000 PREMIUM



RANGER XP 1000 HD EPS ADC



RANGER DIESEL HD EPS ADC



RANGER XP 1000 NORTHSTAR PREMIUM



RANGER XP KINETIC PREMIUM



RANGER XP KINETIC ULTIMATE



RANGER CREW SP 570 PREMIUM



RANGER CREW SP 570 NORTHSTAR



RANGER CREW 1000 PREMIUM



RANGER CREW XP 1000 PREMIUM



RANGER CREW XP 1000 NORTHSTAR PREMIUM







# RANGER SP 530



Colour Options



Sage Green







ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 25.4CM OF TRAVEL



SEAT BELT INTERLOCK



SPEED KEY READY



680KG TOWING CAPACITY



DUMP BOX CAPACITY - 227KG

### ENGINE & DRIVETRAIN

Displacement / Engine Type	567cc / 4-Stroke Single Cylinder DOHC EFI
Drive System Type	On-Demand True AWD/2WD/VersaTrac Turf Mode

≻

Н

GRICULTURE/UTIL

4

SUSPENSION	
Front Suspension	MacPherson Strut 22.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 8-12; Carlisle 489
Rear Tyres	25 x 10-12; Carlisle 489
Wheels	Stamped Steel

### DIMENSIONS

Bed Box Dimensions (L x W x H)	84.6 x 123.7 x 31.2 cm
Fuel Capacity	35.9 L
Ground Clearance	27.9 cm
Vehicle Size (L x W x H)	274.3 x 142.2 x 188 cm
Payload Capacity	453 kg
Box Capacity	227 kg
Wheelbase	185.4 cm
Estimated Dry Weight	525 kg

Instrumentation	4" LCD Rider Information Center: User Selectable Blue/ Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Other Standard Features	Gas Assist Dump Box, Single Latch Tailgate, Rearmounted Fiberglass Insulated Exhaust System, Standard In-dash SAE Charge Port, 340 CCA Battery, 660W Charging System (Stator), 20.25 Gal. Onboard Storage with Enclosed Dash Bins and Integrated Cell-phone Holder, Sealed Suspension Bushings and Wheel Bearings, Steel Front Bumper With Winch Mount and Bull Bar, Rear Wheel Liners
Lighting	55W Headlight, LED Taillamps





# RANGER 570 HD EPS ADC



Colour Options



Bronze Mist







ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



IRS WITH 25.4CM OF TRAVEL



SEAT BELT INTERLOCK



SPEED KEY READY



ENGINE BRAKING SYSTEM & ACTIVE DESCENT CONTROL (ADC)



DUMP BOX CAPACITY - 227KG

### ENGINE & DRIVETRAIN

Displacement / Engine Type	567cc / 4-Stroke Single Cylinder DOHC EFI
Drive System Type	On-Demand True AWD/2WD/VersaTrac Turf Mode

### SUSPENSION

>

 $\vdash$ Н TIL

. n/a

RICULTUR

Ü <

Front Suspension	MacPherson Strut 22.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 8-12; Carlisle 489
Rear Tyres	25 x 10-12; Carlisle 489
Wheels	Aluminum Black Xcelerator

### DIMENSIONS

Bed Box Dimensions (L x W x H)	81 x 117 x 29 cm
Fuel Capacity	34.1 L
Ground Clearance	25.4 cm
Vehicle Size (L x W x H)	279 x 147 x 185 cm
Payload Capacity	454 kg
Box Capacity	227 kg
Wheelbase	185.4 cm
Estimated Dry Weight	499 kg

### ADDED FEATURES

Instrumentation	Information Center, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Volt Meter, Service Indicator and Codes, Seatbelt Reminder Light, DC Outlet
Heavy Duty	Upgraded Rear Driveshaft, Grease Nipples, HD Sway Bar, Sealed Suspensions Bushings, Sealed Ball Joints, Driveshaft Spline Seals
Lighting	50W Headlight, LED Tail

Single Analog Dial with 2" LCD Rider





# RANGER SP 570 PREMIUM



Colour Options



Pursuit Camo













44 HP

ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)

VERSATRAC TURF MODE

IRS WITH 25.4CM OF TRAVEL

SEAT BELT INTERLOCK







680KG TOWING CAPACITY



DUMP BOX CAPACITY - 227KG

### ENGINE & DRIVETRAIN

Displacement / Engine Type 567cc / 4-Stroke Single Cylinder DOHC EFI

Drive System Type On-Demand True AWD/2WD/VersaTrac Turf Mode

### SUSPENSION

>

ΗI

IL

 $\vdash$ 

E/U.

 $\square$ 

CULT

RI

Ü

<

Front Suspension MacPherson Strut 22.9 cm Travel

Rear Suspension Dual A-Arm, IRS 25.4 cm Travel

Front Tyres 25 x 8-12; Carlisle 489

Rear Tyres 25 x 10-12; Carlisle 489

Wheels 12" Black Aluminum

### DIMENSIONS

Bed Box Dimensions (L x W x H)	84.5 x 124 x 31.2 cm
Fuel Capacity	35.9 L
Ground Clearance	27.9 cm
Vehicle Size (L x W x H)	274.3 x 142.2 x 188 cm
Payload Capacity	420 kg
Box Capacity	227 kg
Wheelbase	185.4 cm

564 kg

# Estimated Dry Weight ADDED FEATURES

Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter
Other Standard Features	Gas Assist Dump Box, Single Latch Tailgate, Rear-mounted Fiberglass Insulated Exhaust System, Standard In-dash SAE Charge Port, 575 CCA Battery, 660W Charging System (Stator)
Lighting	High/Low Beam LED Headlights LED Taillamps





# RANGER 1000 EPS



Colour Options Pursuit Camo









HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 454KG



SEAT BELT INTERLOCK



ELECTRONIC POWER STEERING



ELECTRONIC **FUEL INJECTION** 

### ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder SOHC EFI
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSPENSION	

>

 $\vdash$ 

E/UTILI

RICULTUR

0

⋖

Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 10-12; Carlisle 489
Rear Tyres	25 x 11-12; Carlisle 489
Wheels	Stamped Steel

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel Capacity	43 L
Ground Clearance	30.5 cm
Vehicle Size (L x W x H)	305 x 158 x 193 cm
Payload Capacity	680 kg
Box Capacity	454 kg
Wheelbase	206 cm
Estimated Dry Weight	674 kg
ADDED CEATILDED	

Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Other Standard Features	Polaris Pulse Electrical System (3 position), Standard In-Dash SAE Charge Port
Lighting	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps





# RANGER 1000 PREMIUM



Colour Options Springfield Blue









HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 454KG



SEAT BELT INTERLOCK



ELECTRONIC POWER STEERING



IRS WITH 25.4 CM OF TRAVEL



ELECTRONIC **FUEL INJECTION** 



POLARIS PRO HD 4,500 LB. WINCH

### ENGINE & DRIVETRAIN

SUSPENSION	
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder SOHC EFI

**≻** 

GRICULTURE/UTILI

4

Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	26 x 9-12; PXT 2.0
Rear Tyres	26 x 11-12; PXT 2.0
Wheels	Aluminum Black Xcelerator 2.0

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel Capacity	43 L
Ground Clearance	31.8 cm
Vehicle Size (L x W x H)	305 x 158 x 193 cm
Payload Capacity	680 kg
Box Capacity	454 kg
Wheelbase	206 cm
Estimated Dry Weight	674 kg

Other Standard Features	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Speed Limiter	Premium Cut & Sew Seats, Polaris Pulse Electrical System (3 position), Standard In- Dash SAE Charge Port
Age Limit	Dual LED Headlamps, 600lm Low Beam, 1000lm High Beam, Dual LED Taillamps





# RANGER XP 1000 HD EPS ADC



Colour Options





82 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 454KG



SEAT BELT INTERLOCK



ELECTRONIC POWER STEERING



HANDBRAKE



ELECTRONIC **FUEL INJECTION** 



**8 PLY RATED** 

### ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode

### CHEDENETON

>

 $\vdash$ Н IL

Ш

GRICULTUR

⋖

SUSPENSIUN	
Front Suspension	Dual A-Arm 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-14; Pro Armor X-Terrain
Rear Tyres	27 x 11-14; Pro Armor X-Terrain
Wheels	14" Aluminum

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	305 x 158 x 196 cm
Payload Capacity	680 kg
Box Capacity	454 kg
Wheelbase	206 cm
Estimated Dry Weight	737 kg

### ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 1 DC Outlet, 1 USB Charge Port
Other Standard Features	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), Standard In-Dash SAE

Charge Port, NFC Front Badge





# RANGER DIESEL HD EPS ADC



Colour Options



Sage Green







ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 435KG





HEAVY DUTY **FEATURES** 



DONALDSON AIR FILTER



HANDBRAKE



ENGINE BRAKING SYSTEM & ACTIVE DESCENT CONTROL (ADC)



27" TYRES

### ENGINE & DRIVETRAIN

Displacement / Engine Type	898cc / Kubota 3-Cylinder Diesel
Drive System Type	On-Demand True AWD/2WD/Versatrac Turf Mode

### SUSPENSION

>

 $\vdash$ Н

E/UTIL

GRICULTUR

⋖

Front Suspension	Dual A-Arm with Stabilizer Bar 27.9 cm Travel
Rear Suspension	Dual A-Arm IRS with Stabilizer Bar 27.9 cm Travel
Front Tyres	27 x 9; R12
Rear Tyres	27 x 11; R12
Wheels	12" Steel

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	305 x 158 x 196 cm
Payload Capacity	720 kg
Box Capacity	435 kg
Wheelbase	206 cm
Estimated Dry Weight	766 kg

### ADDED FEATURES

Cargo System

Instrumentation	All Digital Gauge, Speedometer, Odometer, Tachometer, 2 Trip Meters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm, Horn, Backup Alarm
Lighting	Headlights : halogen
Variants	Homologated Tractor

Lock & Ride®





# RANGER XP 1000 NORTHSTAR PREMIUM





Colour Options Azure Crystal Metallic







HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 454KG



HEAVY DUTY **FEATURES** 



POLARIS PRO HD 4,500 LB. WINCH



**FULL CAB AS** STANDARD



ELECTRONIC POWER STEERING



HEATER, A/C & DEFROST

### ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode

>

 $\vdash$ Н

E/UTIL

GRICULTUR

⋖

SUSPENSION	
Front Suspension	Dual A-Arm 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-14; Pro Armor X-Terrain
Rear Tyres	27 x 11-14; Pro Armor X-Terrain
Wheels	35.6 cm Aluminum

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	305 x 165 x 198 cm
Payload Capacity	578 kg
Box Capacity	454 kg
Wheelbase	206 cm
Estimated Dry Weight	867 kg

Estimated Dry Weight	867 kg
ADDED FEATURES	
Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/ Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 2 DC Outlets, 1 USB Charge Port
Other Standard Features	Polaris HD 4,500 Lb. Synthetic Rope Winch with Autostop and Wireless Remote, Premium Pro-Shield Cab, Doors with Crank Windows, Fixed Glass Windshield with Wiper, Rear Glass Panel, Dome Light, Rearview Mirror, Heat, AC, Defrost





# RANGER XP KINETIC PREMIUM



Colour Options





110 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 567KG



LITHIUM ION BATTERY 14.9 KWH NOMINAL



3 KW ON-BOARD BATTERY CHARGER



SEAT BELT INTERLOCK



ELECTRONIC POWER STEERING



SEATS 3

### ENGINE & DRIVETRAIN

Motor	Internal Permanent Magnet AC Motor
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode

>

 $\vdash$ Н

GRICULTURE/UTIL

⋖

SUSPENSION	
Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	29 x 9-14; PRO ARMOR X-TERRAIN
Rear Tyres	29 x 11-14; PRO ARMOR X-TERRAIN
Wheels	35.6 cm Aluminum

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel System/Battery	Lithium Ion, 14.9 kWh Nominal
Ground Clearance	35.6 cm
Vehicle Size (L x W x H)	305 x 158 x 198 cm
Payload Capacity	680.4 kg
Box Capacity	567 kg
Wheelbase	206 cm
Estimated Dry Weight	785 kg

Instrumentation	Driver's Side Dual-sweep Analog Dials w/ 4" Multi-Color LCD Rider Information Center: Power Use and Regen %, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Voltage
Other Standard Features	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents
Lighting	Dual LED Headlamps, 1250Im low beam, 2300Im high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps
Estimated Range	Range upto 70km





# RANGER XP KINETIC ULTIMATE



Colour Options





110 HP



HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 567KG



LITHIUM ION BATTERY 29.8 KWH NOMINAL



6 KW ON-BOARD BATTERY CHARGER



SEAT BELT INTERLOCK



ELECTRONIC POWER STEERING



7" OFF-ROAD DISPLAY WITH RIDE COMMAND TECHNOLOGY AND INTEGRATED AUDIO

### ENGINE & DRIVETRAIN

>

ILIT

GRICULTURE/UT

4

Motor	Internal Permanent Magnet AC Motor
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode

SUSPENSION	
Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	29 x 9-14; PRO ARMOR X-TERRAIN
Rear Tyres	29 x 11-14; PRO ARMOR X-TERRAIN
Wheels	35.6 cm Aluminum

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel System/Battery	Lithium Ion, 29.8 kWh Nominal
Ground Clearance	35.6 cm
Vehicle Size (L x W x H)	305 x 158 x 198 cm
Payload Capacity	680.4 kg
Box Capacity	567 kg
Wheelbase	206 cm
Estimated Dry Weight	900 kg

ADDED FEATURES	
Instrumentation	Center Mounted 7" Glove Touch Display with EV Infotainment (includes Range Remaining, Battery State of Charge, Charging Status, Launch Indicator, System Diagnostics and more), Speed Limiting, Plow Mode, *GPS Navigation, Air Temp., Bluetooth, AM/FM Radio
Other Standard Features	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents
Lighting	Dual LED Headlamps, 1250Im low beam, 2300Im high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps
Estimated Range	Range upto 130 km

### RANGER CREW SP 570 PREMIUM

- POLY SPORT ROOF #2882911
- PRO ARMOR 81CM SINGLE-ROW LIGHT BAR #2884299

TOW MORE, CARRY MORE, DO MORE, SEAT 4.

\*MODEL SHOWN WITH OPTIONAL ACCESSORIES



# RANGER CREW SP 570 PREMIUM



Colour Options



Ghost Gray







ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)





VERSATRAC TURF MODE



**680KG TOWING** CAPACITY







SEATS 4



IRS WITH 25.4CM OF TRAVEL



ELECTRONIC POWER STEERING



SPEED KEY READY



**ELECTRONIC FUEL** INJECTION

### ENGINE & DRIVETRAIN

Displacement / Engine Type	567cc / 4-Stroke Single Cylinder DOHC EFI
Drive System Type	On-Demand True AWD/2WD/VersaTrac Turf Mode

### SUSPENSION

>

 $\vdash$ Н TIL

. n/a

RICULTUR

Ü

<

Front Suspension	MacPherson Strut 22.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	25 x 8-12; Carlisle 489
Rear Tyres	25 x 10-12; Carlisle 489
Wheels	12" Black Aluminum

### DIMENSIONS

DIMENSIONS	
Bed Box Dimensions (L x W x H)	84.6 x 123.7 x 31.2 cm
Fuel Capacity	35.9 L
Ground Clearance	27.9 cm
Vehicle Size (L x W x H)	365.8 x 142.2 x 188 cm
Payload Capacity	499 kg
Box Capacity	227 kg

266.7 cm 703 kg


### ADDED FEATURES

Estimated Dry Weight

Wheelbase

Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet

Gas Assist Dump Box, Single Latch Tailgate, Rear-mounted Fiberglass Insulated Exhaust System, Standard In-dash SAE Charge Port, Other Standard Features 575 CCA Battery, 660W Charging System (Stator), 48.4 Gal. Onboard Storage with Enclosed Dash Bins and Integrated Cellphone Holder





# RANGER CREW 1000 PREMIUM





Colour Options Springfield Blue







HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY







SEATS 6



IRS WITH 25.4CM OF TRAVEL



ELECTRONIC POWER STEERING



**ELECTRONIC FUEL** INJECTION



SPEED KEY READY

### ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder SOHC EFI
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode

**≻** 

Н

E/UTIL


AGRICULTUR

SUSPENSION	
Front Suspension	Dual A-Arm 25.4 cm Travel
Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres	26 x 9-12; PXT 2.0
Rear Tyres	26 x 11-12; PXT 2.0
Wheels	Aluminum Black Xcelerator 2.0

### DIMENSIONS

ADDED FEATURES	
Estimated Dry Weight	814 kg
Wheelbase	287 cm
Box Capacity	454 kg
Payload Capacity	794 kg
Vehicle Size (L x W x H)	386 x 158 x 193 cm
Ground Clearance	31.8 cm
Fuel Capacity	43 L
Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm

Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
Other Standard Features	Premium Cut & Sew Seats, Polaris Pulse Electrical System (3 position), Standard In-Dash SAE Charge Port.
Lighting	Dual LED Headlamps, 600lm Low Beam, 1000lm High Beam, Dual LED Taillamps





# RANGER CREW XP 1000 PREMIUM



Colour Options





82 HP





HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 454KG







ELECTRONIC POWER STEERING



**ELECTRONIC FUEL** INJECTION



SEAT BELT INTERLOCK

### ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode

### SUSPENSION

>

 $\vdash$ Н I

E/U.

GRICULTUR

4

JOSEFUSION	
Front Suspension	Dual A-Arm 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-14; Pro Armor X-Terrain
Rear Tyres	27 x 11-14; Pro Armor X-Terrain
Wheels	35.6 cm Aluminum

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	386 x 158 x 196 cm
Payload Capacity	767 kg
Box Capacity	454 kg
Wheelbase	287 cm
Estimated Dry Weight	859 kg

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 2 DC Outlets, 1 USB Charge Port
Other Standard Features	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), Standard In-Dash SAE Charge Port, NFC Front Badge
Lighting	Dual LED Headlamps 1250lm Low Beam 2300lm High Beam Dual LED Taillamps





# RANGER CREW XP 1000 NORTHSTAR PREMIUM



Colour Options



Azure Crystal Metallic







HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



VERSATRAC TURF MODE



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 454KG



SEATS 6



FULL CAB AS STANDARD



POLARIS PRO HD 4,500 LB. WINCH



HEATER, A/C & DEFROST



**ELECTRONIC FUEL** INJECTION

### ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode

>

 $\vdash$ Н

E/UTIL

GRICULTUR

4

SUSPENSIUN	
Front Suspension	Dual A-Arm 27.9 cm Travel
Rear Suspension	Dual A-Arm, IRS 27.9 cm Travel
Front Tyres	27 x 9-14; Pro Armor X-Terrain
Rear Tyres	27 x 11-14; Pro Armor X-Terrain
Wheels	35.6 cm Aluminum

### DIMENSIONS

Bed Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm
Fuel Capacity	43.5 L
Ground Clearance	33 cm
Vehicle Size (L x W x H)	386 x 165 x 198 cm
Payload Capacity	558 kg
Box Capacity	454 kg
Wheelbase	287 cm
Estimated Dry Weight	1,063 kg

### ADDED FEATURES

Instrumentation	& Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 2 DC Outlets, 1 USB Charge Port
Other Standard Features	Polaris HD 4,500 Lb. Synthetic Rope Winch with Autostop and Wireless Remote, Premium Pro- Shield Cab, Doors with Crank Windows, Fixed Glass Windshield with Wiper, Rear Glass Panel, Dome Light, Rearview Mirror, Heat, AC, Defrost
Lighting	Dual LED Headlamps, 1250lm Low Beam, 2300lm High Beam, Dual LED Taillamps

Dual-sweep Analog Dials w/ 4" LCD Rider Information

Center: User Selectable Blue/Red Backlighting



# POLARIS AGRICULTURE/UTILITY DARE TO COMPARE



RANGER 1000 EPS



RANGER XP 1000 HD EPS ADC



RANGER DIESEL HD EPS ADC

COMPARE THE FACTS	POLARIS RANGER 1000 EPS	HONDA PIONEER 700	CAN-AM DEFENDER HD7 DPS	YAMAHA VIKING	JOHN DEERE XUV835M
HORSEPOWER (HP)	61 🗸	*	52	*	54
TOWING CAPACITY (KG)	1,134	680	1,134	680	900
REAR TRAY CAPACITY (KG)	454 🗸	454	454 🗸	272	454
TURF MODE (UNLOCKING REAR DIFF)	Yes 🗸	Yes 🗸	Yes 🗸	Yes 🗸	Yes 🗸
SUSPENSION TRAVEL FRONT/REAR (MM)	254 / 254 🗸	200 / 230	254 / 254 🗸	205 / 205	201 / 231
GROUND CLEARANCE (MM)	305 🗸	270mm	280	300	284
ELECTRONIC POWER STEERING	Yes 🗸	Yes 🗸	Yes 🗸	Yes 🗸	Yes 🗸

COMPARE THE FACTS	POLARI RANGER XP HD EPS A	1000	HONDA PIONEER 1000-3	CAN-AM DEFENDER XT HD10	YAMAHA VIKING	JOHN DEERE XUV835M
HORSEPOWER (HP)	82	/	*	82 🗸	*	54
TOWING CAPACITY (KG)	1,134	1	907	1,134	680	900
REAR TRAY CAPACITY (KG)	454	1	454	454	272	454
SUSPENSION TRAVEL FRONT/REAR (MM)	279 / 279	1	268 / 254	279 / 279 🗸	205 / 205	201 / 231
GROUND CLEARANCE (MM)	330	1	326	330 🗸	300	284
FUEL CAPACITY (LITRES)	43.5	1	30	40	36.7	42.8
ELECTRONIC POWER STEERING	Yes	1	Yes 🗸	Yes 🗸	Yes 🗸	Yes 🗸

COMPARE THE FACTS	POLARIS RANG DIESEL HD EP ADC		KAWASAKI MULE PRO-DX	KUBOTA RTV-X1120DW	JOHN DEERE XUV865M
TOP SPEED (KM/H)	65	/	*	46.6	51
HORSEPOWER (HP)	24.8	/	24	24.8	22.8
TOWING CAPACITY (KG)	1,134	/	907	590	907
TURF MODE (UNLOCKING REAR DIFF)	Yes 🗸	/	Yes 🗸	Yes 🗸	Yes
SUSPENSION TRAVEL FRONT/REAR (MM)	279 / 279	/	222 / 220	205 / 205	201 / 231
GROUND CLEARANCE (MM)	330	/	265	263	284
FUEL CAPACITY (LITRES)	43.5	/	30	30	42.8
VEHICLE DRY WEIGHT (KG)	766	/	805	935	884
ELECTRONIC POWER STEERING	Yes 🗸	/	Yes 🗸	Yes 🗸	Yes
ENGINE BRAKING	Yes v	/	Yes 🗸	Yes 🗸	Yes 🗸
ALTERNATOR OUTPUT (AMPS)	140	/	55	*	* /

<sup>\*</sup>Honda Pioneer is a trademark of Honda Motor Company Ltd. Yamaha Viking is a trademark of Yamaha Motor Company. Kubota RTV is a trademark of Kubota Corporation.


John Deere XUV is a trademark of Deer & Company. Can-Am Defender is a trademark of Bombardier Recreational Products Inc. Kawasaki Mule is a trademark of Kawasaki Heavy Industries Inc. All comparative data sourced from manufacturer websites and brochure downloads from those sites 3.12.20. \*Information not available.



# POLARIS AGRICULTURE/UTILITY DARE TO COMPARE



### RANGER CREW SP 570 EPS





RANGER CREW 1000 EPS

COMPARE THE FACTS	POLARI RANGER CI 1000 EP	REW	HONDA PIONEER 1000-5	KAWASAKI MULE PRO-FXT	JOHN DEERE XUV825M S4	CAN-AM DEFENDER MAX XT
PASSENGER CAPACITY	6	<b>/</b>	5	6	4	6
HORSEPOWER (HP)	82	1	*	47.3	52	82
TOWING CAPACITY (KG)	1,134	1	907	907	680	1,134
REAR TRAY CAPACITY (KG)	454	1	454 (when used as 3 seater)	453 kg (3 person) 158 kg (6 person)	454	454
TURF MODE (UNLOCKING REAR DIFF)	Yes	1	Yes 🗸	Yes 🗸	Yes 🗸	Yes
SUSPENSION TRAVEL FRONT/REAR (MM)	279 / 279	- <b>/</b>	268 / 254	222 / 220	203 / 229	279 / 279
FUEL CAPACITY (LITRES)	43.5	1	30	30	27.6	40
DIMENSIONS L X W X H (CM)	386 x 158 x	196	296.1 x 159.9 x 194	338.5 x 162.5 x 202	394x 157.1 x 189	402x 162.5 x 202

<sup>\*</sup>Honda Pioneer is a trademark of Honda Motor Company Ltd. John Deere XUV is a trademark of Deer & Company. Can-Am Defender is a trademark of Bombardier Recreational Products Inc. Kawasaki Mule is a trademark of Kawasaki Heavy Industries Inc. All comparative data sourced from manufacturer websites and brochure downloads from those sites 8.12.20. \*Information not available.





CHOOSE YOUR

COMMERCIAL

MODELS



PRO XD 2000D AWD EPS



PRO XD 4X4 EPS CREW





## PRO XD FULL SIZE DIESEL EPS



Colour Options



Avalanche Gray







**ON-DEMAND 4X4** 



AWD ULTRA TURF



1,134 C



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 567KG



SEATS 2



DONALDSON AIR FILTER



KUBOTA DIESEL ENGINE



SPEED LIMITED TO 40KMH. OPTIONAL TO 25KMH



DIESEL

### ENGINE & DRIVETRAIN

Displacement / Engine Type	898 cc / 3-Cylinder Kubota® Diesel

Drive System Type On-Demand 4x4

### SUSPENSION

>

TILIT

AL/U

RCI

Ш

 $\mathbb{Z}$ 

O

Front Suspension	22.9 cm
Rear Suspension	22.9 cm

Front Tyres 26 x 10-12 Duro® DI-2042 Power Grip (M/T)

Rear Tyres 26 x 10-12 Duro® DI-2042 Power Grip (M/T)

Wheels 12 x 6 HD Steel - Gloss Black

### DIMENSIONS

Bed Box Dimensions	110.5 x 137 x 29 cm
$(L \times W \times H)$	

Fuel Capacity 43.5 L

Ground Clearance 27.9 cm

Vehicle Size (L x W x H)  $320 \times 159 \times 191 \text{ cm}$ 

Payload Capacity 862 kg

Box Capacity 567 kg

Wheelbase 215.9 cm

Estimated Dry Weight 738 kg

### ADDED FEATURES

Instrumentation

All Digital Gauge, Speedomoter, Odometer, Tachometer, 2 Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Clutch Belt Slip Warning, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm

Other Standard Features Kevlar®-Backed Vinyl (Grey)

Lighting 55W low/ 60W high, LED Tail

71

# PRO XD FULL SIZE DIESEL CREW POLY SPORT CREW ROOF #2883274 2 FIXED GLASS SCREEN #2889030 **3** FLASHING ORANGE WORK BEACON #AUST393 **4** POLY DOORS CRANK WINDOW #2884275 5 POLY REAR DOORS CRANK WINDOW #2884276 **6** SLIDING GLASS REAR PANEL #2879015 DURABILITY, SERVICEABILITY AND SAFETY FEATURES.



# PRO XD FULL SIZE DIESEL EPS



Colour Options



Avalanche Gray







**ON-DEMAND 4X4** 



AWD **ULTRA TURF** 



1,134KG TOWING CAPACITY



DUMP BOX CAPACITY - 567 KG



SEATS 4



DONALDSON AIR FILTER



KUBOTA **DIESEL ENGINE** 



SPEED LIMITED TO 40KMH. OPTIONAL TO 25KMH



DIESEL

## ENGINE & DRIVETRAIN

Displacement / Engine Type	898 cc / 3-Cylinder Kubota® Diesel

Drive System Type On-Demand 4x4

## SUSPENSION

>

 $\vdash$ Н H

L/U

4 Н

C  $\square$ 

Ш

 $\mathbb{Z}$ 

C

Front Suspension	22.9 cm

Rear Suspension 22.9 cm

Front Tyres 26 x 10-12 Duro<sup>®</sup> DI-2042 Power Grip (M/T)

Rear Tyres 26 x 10-12 Duro<sup>®</sup> DI-2042 Power Grip (M/T)

12 x 6 HD Steel - Gloss Black Wheels

## DIMENSIONS

Bed Box Dimensions	110.5 x 137 x 29 cm
$(L \times W \times H)$	

43.5 L **Fuel Capacity** 

Ground Clearance 27.9 cm

Vehicle Size (L x W x H) 399 x 159 x 191 cm

941 kg Payload Capacity

567 kg **Box Capacity** 

Wheelbase 297.2 cm

Estimated Dry Weight 856 kg

### ADDED FEATURES

Instrumentation


All Digital Gauge, Speedomoter, Odometer, Tachometer, 2 Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Clutch Belt Slip Warning, Glow Plug Indicator, Low Oil

Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm

Other Standard Features Kevlar®-Backed Vinyl (Grey)

Lighting 55W low/ 60W high, LED Tail





CHOOSE YOUR

GENERAL

MODELS



GENERAL 1000 SPORT



GENERAL XP 1000 SPORT



GENERAL XP 4 1000 SPORT





# **GENERAL 1000 SPORT**



Colour Options White Lightning









ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)





**ZF SACHS TWIN** TUBE SHOCKS



VERSATRAC TURF MODE



680KG TOWING CAPACITY



POLARIS HD 4500 LB. WINCH



ELECTRONIC **FUEL INJECTION** 



ELECTRONIC POWER STEERING



DUMP BOX CAPACITY - 272KG



SEATS 2

### **ENGINE & DRIVETRAIN**

Α

Д

Z

0 X

≥

ENGINE O DRIVEIRAIN	
Displacement / Engine Type	999 cc / ProStar 1000; 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSPENSION	
Front Suspension	Dual A-Arm with Stabilizer Bar 31.1 cm Travel

Dual Arm IRS with Stabilizer Bar 33.5 cm

# 27x9.00R12 NHS: CST Clincher Front Tyres

Tronc Tyres	27.0.001(121(110) 001 011101101
Rear Tyres	27x11.00R12 NHS; CST Clincher

\//baala	10" Alumainum
Wheels	12" Aluminum


# DIMENSIONS

Rear Suspension

Bed Box Dimensions (L x W x H)	69.8 x 109 x 29.5 cm
Fuel Capacity	35.9 L
Ground Clearance	30.5 cm
Vehicle Size (L x W x H)	295.6 x 158.7 x 187.4 cm
Payload Capacity	499 kg
Wheelbase	206 cm
Estimated Dry Weight	645 kg

# ADDED FEATURES

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator
Seat Type	Bolstered Bucket Seats with Driver Seat Slider and Height Adjustable Seat Belts
Lighting	55W Low / 60W High, LED Taillights





# **GENERAL XP 1000 SPORT**



Colour Options Ghost Gray









ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)





WALKER EVANS **VELOCITY SERIES** SHOCKS



VERSATRAC TURF MODE



680KG TOWING CAPACITY



POLARIS HD 4500 LB WINCH



ELECTRONIC **FUEL INJECTION** 



ELECTRONIC POWER STEERING



DUMP BOX CAPACITY - 272KG



SEATS 2

# ENGINE & DRIVETRAIN

Displacement / Engine Type	999 cc / ProStar 1000; 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSDENSION	

### SUSPENSION

ΑY

Д

Z

¥


WOR

Front Suspension	Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 35.6 cm Travel
Rear Suspension	Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar, 35.6 cm Travel
Front Tyres	30 x 10-15; Pro Armor Crawler XGF or ITP Ultra Cross® R Spec
Rear Tyres	30 x 10-15; Pro Armor Crawler XG or ITP Ultra Cross® R Spec
Wheels	15" Aluminum

# DIMENSIONS

DIWLHOIONO	
Bed Box Dimensions (L x W x H)	69.8 x 109 x 29.5 cm
Fuel Capacity	35.9 L
Ground Clearance	34.3 cm
Vehicle Size (L x W x H)	300.2 x 162.5 x 194.3 cm
Payload Capacity	499 kg
Wheelbase	211 cm
Estimated Dry Weight	750 kg
ADDED FEATURES	

Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator
Seat Type	Bolstered Bucket Seats with Driver Seat Sliders and Height Adjustable Seat Belts
Lighting	LED Headlight w/ Accent & LED Taillights





# **GENERAL XP 4 1000 SPORT**



Colour Options



**Ghost Gray** 







ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)





WALKER EVANS **VELOCITY SERIES** SHOCKS



VERSATRAC TURF MODE



**680KG TOWING** CAPACITY



POLARIS HD 4500 LB WINCH



ELECTRONIC **FUEL INJECTION** 



ELECTRONIC POWER STEERING



DUMP BOX CAPACITY - 272KG



SEATS 4

> 4 Д

Z 4 ¥  $\alpha$ 0

≥

ENGINE & DRIVEIRAIN	
Displacement / Engine Type	999 cc / ProStar 1000; 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	On-Demand True AWD/2WD/VersaTrac Turf Mode
SUSPENSION	
Front Suspension	Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 35.6 cm Travel

Rear Suspension	Long Travel, High Clearance Dual Arm IRS
	with Stabilizer Bar, 35 6 cm Travel

	30 x 10-15; Pro Armor Crawler XGF or ITP
Front Tyres	

Ultra Cross® R Spec

30 x 10-15; Pro Armor Crawler XG or ITP Ultra Rear Tyres

Cross® R Spec

Wheels 15" Aluminum

DIMENSIONS	
Bed Box Dimensions (L x W x H)	69.8 x 109 x 29.5 cm
Fuel Capacity	35.9 L
Ground Clearance	34.3 cm
Vehicle Size (L x W x H)	381.5 x 162.5 x 195.1 cm
B 1 10 "	5001

Payload Capacity	580 kg

Wheelbase 292 cm Estimated Dry Weight 885 kg

# ADDED FEATURES

Instrumentation

Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness,
Programmable Service Intervals,
Speedometer, Tachometer, Odometer,
Tripmeter, Clock, Hour Meter, Gear Indicator,
Fuel Gauge, Coolant Temperature, Voltmeter,
Service Indicator and Codes, Seat Belt
Reminder Light, Gear Indicator, DC Outlet

Bolstered Bucket Seats with Driver Seat Seat Type Sliders and Height Adjustable Seat Belts

# **PSLARIS**

# GENERAL

# GENERAL XP 1000 COMPETITIVE ADVANTAGES VS. YAMAHA WOLVERINE RMAX2 1000 XT-R

# **PERFORMANCE**

### True On-Demand AWD

 Fast-engaging, automatic, and can be used at all speeds, providing industry best handling, cornering and capability in technical terrain

vs. Yamaha driver-selectable AWD, Speed limited in 4WD Locked

### True 34.29cm Ground Clearance

 True 34.3cm + full vehicle ground clearance to easily clear rough trails or obstacles

vs. Yamaha max clearance only reached in certain riding conditions

 High-clearance a-arms protect suspension & reduce trail damage vs. Yamaha straight, low-hanging arms

### Steel Bumper

 Low-profile steel front bumper for more protection vs. Yamaha factory bumper

### **Vehicle Width**

 Wheels are the widest point of the vehicle, ideal for tight terrain and protection from trail damage

# **COMFORT**

### **Best Ergonomics & Doors**

- Spacious door open for easy in-and-out of vehicle
- Premium half-doors for greater rider comfort and protection

vs. Yamaha narrower openings and smaller, lower doors. No exterior handles make it difficult to open

### Top Tier Walker Evans® Velocity Shocks

- Internal bypass technology, and 35.5cm of travel offers the feeling of endless travel
- Three ride zones: small bump plushness, medium bump comfort and never bottom-out control vs. Yamaha Fox® 2.00S3 shocks, only single zone

### **Beefy Tyres**

- 8-ply 30" Pro Armor XG Crawler Tyres on 15" wheels offer smoother ride, max traction, and the most strength
- Asymmetrical and directional by design for best ride and handling, agile cornering and grip during acceleration or a crawl vs. Symmetrical Yamaha 30" on 14" wheels without rear sway bar

# **VERSATILITY**

### Storage & Dump Box

- 272kg capacity with dumping cargo box
- Multiple tie-down and Lock & Ride holes to secure gear vs. Yamaha limited mounting points

### Vehicle Profile

 Lower vehicle height for more options for garage storage or enclosed trailering vs. Yamaha higher rear profile

### **Polaris Engineered Accessories**

• 20% more options for greater customization vs. Yamaha accessory collection



# **TECH & AUDIO**

### **Ride Command**

- Dash-mounted 7" Glove Touch GPS navigation to stay connected to your group and track your rides
- Factory-installed Rockford Fosgate 400 W Stage 4 system with 4 coaxial surround sound speakers and 10" underdash subwoofer
- Front and rear camera
- Audio integration
   vs. Yamaha Adventure Pro no audio integration and
  less functionality

### Rockford Fosgate® Audio

- Factory-installed off-road grade, custom tuned audio from the leader in powersports audio. Standard Stage 1 system features 2 coaxial front speakers and a PMX headunit
- vs. Yamaha factory audio as accessory add-on

# **STYLE**

### Striking Lighting

- Modern LED lights
- Interior blue accents

### Clean Color & Graphics

Premium paint colour and colour-matched parts

# **PCLARIS**

# GENERAL

# GENERAL XP COMPETITIVE COMPARISON




VS



	GENERAL XP 1000 SPORT		FEATURE	YAMAHA WOLVERINE© RMAX2™ 1000 XT-R
	999 cc / ProStar 1000; 4-Stroke DOHC Twin Cylinder EFI			999cc Twin-Cylinder Engine DOHC
	Direct drive-by-wire electronic throttle pedal	1	Engine	Cable actuated throttle pedal
	ist-engaging true on-demand Turf/2WD/AWD can be used at all speeds, providing the best handling, cornering and capability in technical terrain. Requires minimal tyre slip to engage differential lock.	<b>/</b>	4WD	On-Command® driver-selectable 2WD/4WD/4WD with differential lock Full stop required to change into 4WD locked, and when engaged the vehicle speed is limited and steering effort increases, making it only effective for slow speed driving. Otherwise system is a limited slip system resulting in 3WD.
Wal	ker Evans® Velocity shocks with internal bypass technology offer the feeling of endless travel through three ride zones - small bump plushness, medium bump comfort and never bottom-out control	1	Shocks	Fox® QS3® Shocks (RMAX2/XT-R) with 1 ride zone, and no rear sway bar
	Front & rear: 35.6 cm		Shock Travel	Front: 36cm / Rear: 42.9cm
True	34.3cm + full vehicle ground clearance with high clearance a-arms for maximum under body protection while easily clearing obstacles.	/	Ground Clearance	35cm maximum; maximum would only be reached and usable under certain riding conditions
	All-wheel disc brakes, twin-piston calipers		Brakes	All-wheel disc brakes, twin-piston calipers
	metrical 30" Pro Armor XG Crawlers on 15" Aluminium wheels. Provides best ride & handling on the trail. ront tyres grab the corner for more precise handling and clean out well for traction in all conditions.  Rear tyres have more lugs for traction and acceleration.  8-ply Kevlar tyre specifically designed for this vehicle.		Tyres	Symmetrical 30" tyres on 14" wheels
	272kg Dumping Cargo Box with Lock & Ride mounting holes, plus interior box tie-downs	1	Cargo Capacity	272kg capacity with dumping cargo box with limited mounting points
Facto	ry-installed Rockford Fosgate® Stage 1 Audio System. Ride Command + Stage 4 audio upgrade available. Audio integrated into Ride Command.	/	Tech & Audio	Adventure Pro, no integrated audio; requires use of separate interface to control audio & GPS

<sup>\*</sup>Yamaha Wolverine is a trademarks of Yamaha Motor Company. All comparative data sourced from manufacturer websites, physical unit assessment and brochure downloads from those sites prior to 9.12.20.





# CHOOSE YOUR SPORT/RECREATIONAL MODELS

RZR TRAIL SPORT -



RZR PRO XP SPORT EPS - 64"



**RZR TRAIL S 1000** PREMIUM - 60"



RZR PRO XP **ULTIMATE - 64"** 



RZR TURBO R **SPORT - 74"** 



**RZR XP 1000** 

SPORT EPS - 64"



RZR PRO XP 4 SPORT - 64"



RZR TURBO R ULTIMATE - 74"



RZR TURBO R 4 **ULTIMATE - 74"** 



**RZR XP 1000** SPORT - 64"



RZR PRO XP 4 ULTIMATE - 64"



RZR PRO R **ULTIMATE - 74"** 



RZR PRO R 4









# RZR TRAIL SPORT - 50"



Colour Options White Lightning









HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE





**ZF TWIN TUBE** 



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT **CALIPERS** 



**680KG TOWING** CAPACITY



INDEPENDENT REAR SUSPENSION - 25.4CM OF TRAVEL



ELECTRONIC **FUEL INJECTION** 



ELECTRONIC POWER STEERING

# ENGINE & DRIVETRAIN

Displacement / Engine Type	875cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System Type	True On-Demand AWD/2WD

## SUSPENSION

4

NOI

 $\vdash$ 4

Ш  $\square$ O Ш T/R

 $\alpha$ 0

Д ហ

Frant Cuananaian	Dual A-Arm with Stabilizer Bar and 25.4 cm
Front Suspension	Wheel Travel

Door Supposion	Dual A-Arm with Stabilizer Bar and 25.4 cm
Rear Suspension	Wheel Travel

Front Tyres	26 X 8 X 12; PXT
Rear Tyres	26 X 9 X 12; PXT

Vheels	Stamped Steel

### DIMENSIONS

Bed Box Dimensions	52.5 x 94 x 20 cm
$(L \times W \times H)$	

Fuel Capacity	35.9 L
---------------	--------

Payload Capacity	336 kg

Estimated Dry	/ Weiaht	562 ka
Estimated Dry	/Weiaht	562 K

### ADDED FEATURES


Instrumentation

Dual-sweep Analog Dials w/ 4" LCD Rider
Information Center: User Selectable
Blue/Red Backlighting & Brightness,
Programmable Service Intervals,
Speedometer, Tachometer, Odometer,
Tripmeter, Clock, Hour Meter, Gear Indicator,
Fuel Gauge, Coolant Temperature, Voltmeter
Service Indicator and Codes, Seat Belt
Reminder Light, Gear Indicator, DC Outlet +

l2V	Power	Plug.
-----	-------	-------

Other Standard Features	Adjustable Tilt Steering, Near Field
	Communication Technology

_ighting	Halogen 55W low/ 60W high & Red LED Tail/
_igittiig	Duality I indian





# RZR TRAIL S 1000 PREMIUM - 60"



Colour Options Ghost Gray









HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



F0X® 2.0 PODIUM X



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT AND REAR CALIPERS



**680KG TOWING** CAPACITY



INDEPENDENT REAR SUSPENSION - 33.5CM OF TRAVEL



ELECTRONIC **FUEL INJECTION** 



ELECTRONIC **POWER STEERING** 

# ENGINE & DRIVETRAIN

Displacement / Engine Type	999cc / 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	High Performance True On-Demand AWD/2WD

## SUSPENSION

TIONA

4

Ш  $\alpha$ 

Ü Ш

RT/R

0 Д ហ

Front Suspension	Dual A-Arm with Stabilizer Bar and 31.1 cm Wheel Travel
Rear Suspension	Dual A-Arm with Stabilizer Bar and 33.5 cm Wheel Travel
Front Tyres	27 x 9-12; Trailmaster A/T
Rear Tyres	27 x 11-12; Trailmaster A/T
Wheels	Cast Aluminum

# DIMENSIONS

Bed Box Dimensions (L x W x H)	52.5 x 94 x 20 cm
Fuel Capacity	35.9 L
Ground Clearance	31.8 cm
Vehicle Size (L x W x H)	282 x 152.4 x 176 cm
Payload Capacity	336 kg
Wheelbase	200.7 cm
Estimated Dry Weight	617 kg
ANNEN FEATURES	

# AUDED FEATURES

	Dual-sweep Analog Dials w/ 4″ LCD Rider
	Information Center: User Selectable
	Blue/Red Backlighting & Brightness,
	Programmable Service Intervals,
Instrumentation	Speedometer, Tachometer, Odometer,
	Tripmeter, Clock, Hour Meter, Gear Indicator,
	Fuel Gauge, Coolant Temperature, Voltmeter,
	Service Indicator and Codes, Seat Belt
	Reminder Light, Gear Indicator, DC Outlet +
	12V Power Plug
	ŕ

### Other Standard Features

Front Blacked Out Signature White LED Low/High with Accent Lights & Red LED Tail / Brake Lights



SPORT/RECREATIONAL



# RZR XP 1000 SPORT - 64"



Colour Options Cruiser Black









HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



2" FRONT / 2.5" REAR WALKER EVANS NEEDLE SHOCKS



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT AND REAR **CALIPERS** 



TRAILING ARM WITH STABILIZER BAR 50.8CM USABLE TRAVEL



INDEPENDENT REAR SUSPENSION - 45.7CM OF TRAVEL



29" TYRES



ELECTRONIC POWER STEERING

# ENGINE & DRIVETRAIN

TIONA

4 Ш  $\alpha$ Ü

Ш

T/R

 $\square$ 

0 Д

ហ

Displacement / Engine Type	999cc / 4-Stroke DOHC Twin Cylinder EFI
Drive System Type	High Performance True On-Demand AWD/2WD
SUSPENSION	
Front Suspension	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel

Trailing Arm with Stabilizer Bar and 50.8 cm Rear Suspension Usable Travel\*, 45.7 cm of Wheel Travel

29 x 9-14; Radial Tyre Front Tyres 29 x 11-14; Radial Tyre Rear Tyres

Wheels Cast Aluminum

DIMENSIONS	
Bed Box Dimensions (L x W x H)	72.0 x 57.0 x 17.8 cm
Fuel Capacity	35.9 L
Ground Clearance	35.6 cm
Vehicle Size (L x W x H)	302.2 x 162.6 x 187.3 cm
Payload Capacity	336 kg

228.6 cm

662 kg

# Estimated Dry Weight ADDED FEATURES

Wheelbase

	Dual-sweep Analog Dials w/ 4″ LCD Rider
	Information Center: User Selectable
	Blue/Red Backlighting & Brightness,
	Programmable Service Intervals,
Instrumentation	Speedometer, Tachometer, Odometer,
	Tripmeter, Clock, Hour Meter, Gear Indicator,
	Fuel Gauge, Coolant Temperature, Voltmeter,
	Service Indicator and Codes, Seat Belt
	Reminder Light, Gear Indicator, DC Outlet
	-

Other Standard Features





# RZR PRO XP SPORT EPS - 64"



Colour Options



**Ghost Gray** 







ISOLATED XTREME PERFORMANCE TRUE ON-DEMAND AWD/2WD





2" FRONT / 2.5" REAR WALKER **EVANS NEEDLE** SHOCKS



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-**BORE REAR CALIPERS** 



GPS RIDE COMMAND 7" TOUCH SCREEN DISPLAY





**ELECTRONIC FUEL** INJECTION



## ENGINE & DRIVETRAIN

925 cc / 4-Stroke DOHC Twin Cylinder Displacement / Engine Type Turbocharged Isolated Xtreme Performance True On-Drive System Type Demand AWD/2WD

181 HP Horsepower

### SUSPENSION

4 Z

0

Н

 $\vdash$ 

4

Ш

 $\alpha$ C

Ш  $\alpha$ 

\_

 $\alpha$ 0

Д

ហ

High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel\*, 43.2 cm Front Suspension

Wheel Travel

Trailing Arm & Standard-Clearance Radius Rear Suspension Rods with Stabilizer Bar and 55.9 cm Usable

Travel\*, 50.8 cm Wheel Travel

30 x 10-14 MAXXIS Carnivore: Wheel Size Front Tyres

30 x 10-14 MAXXIS Carnivore: Wheel Size Rear Tyres

14x7

Wheels 30" Cast Aluminum

### DIMENSIONS

**Bed Box Dimensions** 

 $(L \times W \times H)$ 

**Fuel Capacity** 45.4 L

Ground Clearance

36.8 cm

Vehicle Size (L x W x H)

320 x 162.6 x 182.1 cm

66 x 45 x 29.2 cm

Payload Capacity

336 kg

Wheelbase

244 cm

Estimated Dry Weight

796 kg

### ADDED FEATURES

Information Center: User Selectable Blue/Red Backlighting & Brightness, Instrumentation

Programmable Service Intervals, Service


Dual-sweep Analog Dials w/ 4" LCD Rider

Indicator and Codes

Seat Type

Bolstered Bucket Seats with 4-way adjustability and 3-Pt Height Adjustable

Seat Belts





# RZR PRO XP ULTIMATE - 64"



Colour Options Sunset Red









ISOLATED XTREME PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)





FOX 2.5 PODIUM LIVE VALVE SHOCKS



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE XL FRONT AND DUAL-BORE **REAR CALIPERS** 



TRAILING ARM STABILIZER BAR 55.9CM **USABLE TRAVEL** 



INDEPENDENT REAR SUSPENSION - 50.8CM OF WHEEL TRAVEL



30" TYRES



**ELECTRONIC** POWER STEERING



ROCKFORD FOSGATE AUDIO



**GPS RIDE COMMAND** 7" TOUCH SCREEN DISPLAY

# ENGINE & DRIVETRAIN

925 cc / 4-Stroke DOHC Twin Cylinder Displacement / Engine Type Turbocharged EFI Isolated Xtreme Performance True On-Drive System Type Demand AWD/2WD 181 HP Horsepower

## SUSPENSION

TIONA

4 Ш

 $\alpha$ O

Ш

ORT/R

Д ហ

Front Suspension	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
Rear Suspension	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
Front Tyres	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x6

Door Tyron	30 x 10-14 Maxxis Carnivore II; (8-ply rated);
Rear Tyres	Wheel Size 14x7

Wheels Cast Aluminum

# DIMENCIONO

DIMENSIONS	
Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm
Fuel Capacity	45.4 L
Ground Clearance	36.8 cm
Vehicle Size (L x W x H)	320 x 163 x 182 cm
Payload Capacity	336 kg
Wheelbase	244 cm

# Estimated Dry Weight ADDED FEATURES

Other Standard Features	RIDE COMMAND®, High Output 900w charging system with sealed electrical, Polaris Pulse system, USB Charging, Front Bumper, In-Dash Charge Port, Cut & Sew Seats, Polaris P.A.S.S., Rockford Fosgate Stage 3 Audio

814 kg

Signature White LED, Low / High & Red LED Lighting Tail / Brake Lights; Front & Rear LED Accent Lights

# RZR XP 4 1000 PREMIUM EPS - 64"

1 ALUMINUM ROOF - BLACK #2881582-458





# RZR XP 4 1000 PREMIUM EPS - 64"



Colour Options



Onyx Black







HIGH PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



2" FRONT/2.5" REAR WALKER EVANS NEEDLE SHOCKS



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE FRONT AND REAR CALIPERS



ELECTRONIC **FUEL INJECTION** 



INDEPENDENT REAR SUSPENSION - 50.8CM OF WHEEL TRAVEL



29" TYRES



ELECTRONIC POWER STEERING

TIONA

4 Ш  $\alpha$ Ü Ш

T/R

 $\square$ 

0 Д

ហ

ENGINE & DRIVETRAIN	
Displacement / Engine Type	999cc / 4-Stroke Twin Cylinder DOHC EFI
Drive System Type	High Performance True On-Demand AWD/2WD
SUSPENSION	
Front Suspension	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel
Rear Suspension	Trailing Arm with Stabilizer Bar and 50.8 cm

Usable Travel\*, 45.7 cm of Wheel Travel

Front Tyres 29 x 9-14; Radial Tire

29 x 11-14; Radial Tire Rear Tyres

Wheels 29" Cast Aluminum

# DIMENSIONS

Bed Box Dimensions	72.0 x 57.0 x 17.8 cm
$(L \times W \times H)$	

**Fuel Capacity** 35.9 L

35.6 cm **Ground Clearance** 

Vehicle Size (L x W x H) 370.8 x 162.6 x 187.3 cm

Payload Capacity 408 kg

Wheelbase 297.2 cm

Estimated Dry Weight 762 kg

### ADDED FEATURES

Instrumentation

Dual-sweep Analog Dials w/ 4″ LCD Rider
Information Center: User Selectable
Blue/Red Backlighting & Brightness,
Programmable Service Intervals,
Speedometer, Tachometer, Odometer,
Tripmeter, Clock, Hour Meter, Gear Indicator,
Fuel Gauge, Coolant Temperature, Voltmeter,
Service Indicator and Codes, Seat Belt
Reminder Light, Gear Indicator, DC Outlet

Front Blacked Out Signature White LED Low/High w/ Accent Lights & Red LED Tail / Lighting

Brake Lights

Adjustable Tilt Steering, Front & Rear LED Other Standard Features

Accent Lights





# RZR PRO XP 4 SPORT - 64"



Colour Options Ghost Gray









ISOLATED XTREME PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



2" FRONT/2.5" REAR FOX SHOCKS WITH POSITION SENSITIVE SPIRAL TECHNOLOGY



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE XL FRONT AND DUAL-BORE REAR CALIPERS



TRAILING ARM STABILIZER BAR 55.9CM **USABLE TRAVEL** 



INDEPENDENT REAR SUSPENSION - 50.8CM OF WHEEL TRAVEL



30" TYRES



**ELECTRONIC** POWER STEERING



ROCKFORD FOSGATE AUDIO



GPS RIDE COMMAND 7" TOUCH SCREEN DISPLAY

# ENGINE & DRIVETRAIN

EATIONA

CR Ш

ORT/R

۵ ហ

Displacement / Engine Type	925cc / 4-Stroke DOHC Twin Cylinder Turbocharged EFI
Drive System Type	Isolated Xtreme Performance True On- Demand AWD/2WD
Horsepower	181 HP
SUSPENSION	
	High-Clearance Dual A-Arm with Stabilizer

Front Suspension	Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
Rear Suspension	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
Front Tyres	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x6

Rear Tyres	30 x 10-14 Maxxis Carnivore II; (8-ply rated);
	Wheel Size 14x7

Wheels Cast Aluminum

### DIMENSIONS

DIMENSIONS	
Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm
Fuel Capacity	49.2 L
Ground Clearance	36.8 cm
Vehicle Size (L x W x H)	393.7 x 162.6 x 186.9 cm
Payload Capacity	408 kg

317.5 cm

916 kg

# Estimated Dry Weight ADDED FEATURES

Wheelbase

Other Standard Features	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, Polaris P.A.S.S.
Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights
Seat Type	Bolstered Bucket Seats with 4-way adjustability and 3-Pt Height Adjustable Seat Belts





# RZR PRO XP 4 ULTIMATE - 64"



Colour Options Sunset Red









ISOLATED XTREME PERFORMANCE ON DEMAND TRUE ALL-WHEEL-DRIVE (AWD)



FOX 2.5 PODIUM LIVE VALVE SHOCKS



4-WHEEL HYDRAULIC DISC WITH DUAL-BORE XL FRONT AND DUAL-BORE **REAR CALIPERS** 



TRAILING ARM STABILIZER BAR 55.9CM USABLE TRAVEL



INDEPENDENT REAR SUSPENSION - 50.8CM OF WHEEL TRAVEL



30" TYRES



ELECTRONIC **POWER STEERING** 



ROCKFORD FOSGATE AUDIO



**GPS RIDE COMMAND** 7" TOUCH SCREEN DISPLAY

## ENGINE & DRIVETRAIN

Displacement / Engine Type	925 cc / 4-Stroke DOHC Twin Cylinder Turbocharged EFI
Drive System Type	Isolated Xtreme Performance True On- Demand AWD/2WD

Horsepower 181 HP

## SUSPENSION

⋖ Z 0

Н  $\vdash$ 4

Ш

 $\alpha$ C

Ш T/R

 $\square$ 0

Д

ហ

	High-Clearance Dual A-Arm with Stabilizer
Front Suspension	Bar and 50.8 cm Usable Travel*, 43.2 cm

Wheel Travel

Trailing Arm & Standard-Clearance Radius Rear Suspension Rods with Stabilizer Bar and 55.9 cm Usable

Travel\*, 50.8 cm Wheel Travel

30 x 10-14 Maxxis Carnivore II; (8-ply rated); Front Tyres

Wheel Size 14x6

30 x 10-14 Maxxis Carnivore II; (8-ply rated); Rear Tyres

Wheel Size 14x7

Wheels Cast Aluminum

### DIMENSIONS

Bed Box Dimensions	66 x 45 x 29.2 cm
DCG DOX DITTICTISTOTIS	00 X 10 X 20.2 CITI

 $(L \times W \times H)$ 

**Fuel Capacity** 49.2 L

**Ground Clearance** 

36.8 cm

Vehicle Size (L x W x H)

393.7 x 162.6 x 186.9 cm

Payload Capacity

408 kg

Wheelbase

Lighting

317.5 cm

Estimated Dry Weight

937 kg

### ADDED FEATURES

DYNAMIX 2.0 Visualizer, Built-In GPS, Topographic Mapping, Bluetooth & USB Instrumentation Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable

With Optional Sena Headsets

RIDE COMMAND® 7" Glove-Touch Display:

Signature White LED, Low / High & Red LED Tail / Brake Lights; Front & Rear LED Accent

Lights; Interior Accent Lighting





CHOOSE

# YOUR SUPERPOWER

# RZR TURBO



# TERRAIN TESTED. DRIVER APPROVED.

Powering RZR Turbo R over dunes, trails and rocks is a factory-installed turbo engine proven to perform and engineered to last. Prepare to be thrilled.

# 925CC TURBO ENGINE

THE RIGHT POWER. RIGHT WHEN YOU NEED IT.

\_

Designed for instant corner-to-corner acceleration so you'll always have the power you need to stay out in front.

181 HORSEPOWER

PROSTAR 925CC TURBO ENGINE

2-CYLINDER

# LOWER LOW GEAR

MORE TORQUE FOR TOUGH TERRAIN


\_

Low and slow is the way to go when you're tackling the wildest, most technical terrain.
RZR Turbo R offers plenty of low gear to capably crawl around, through or over demanding terrain.





OWER





# 225 HORSEPOWER

PROSTAR FURY 2.0 L ENGINE

4-CYLINDER

# RZR PROR

# THE MOST POWERFUL SIDE-BY-SIDE ENGINE EVER

At the heart of the all-new RZR Pro R lies the industry's first naturally aspirated 2.0 L, 4-cylinder engine — boasting more cylinders and more horsepower than any engine ever dropped in a factory side-by-side. With the incredible power to climb, crawl or race your way to more amazing moments on the trail or in the sand, get ready for a ride like never before.

# STAYS COOLER IN HOT ENVIRONMENTS

SPEND MORE TIME IN THE SAND, DIRT AND ROCKS.

With a large front fascia and massive radiator, the RZR Pro R is designed to keep your engine running at optimal temperatures. So you can ride on and on.

# THROTTLE CONTROL MODES

OPTIMIZED POWER FOR EVERY CONDITION

No matter what challenges the terrain has in store, you'll always have the optimal throttle response for the conditions.

RACE

Offers touch-sensitive response that puts power straight to the ground for the fastest hook-up and straight-line acceleration.

ROCK

A slower, more controlled pedal response provides the best slow-speed throttle accuracy – just what you want when rock climbing or maneuvering over tight, technical terrain.

**SPORT** 

This versatile mode is a great balance of throttle response and control across almost all terrains. It's perfect for your everyday driving situations.







STANDARD ON RZR TURBO R AND RZR PRO R

# **ONE-PIECE CHASSIS**

A STABLE FOUNDATION

You'll find a one-piece chassis in all of our Wide Open machines. Built to last, they keep everything firmly in place and allow the machine's superior suspension components to do their part, so you can keep riding across the roughest terrain.

# MASSIVE SUSPENSION COMPONENTS

ENGINEERED TO GO BEYOND

Hit the whoops and the rocks with confidence, knowing that your RZR Turbo R or RZR Pro R is engineered with the industry's most robust suspension system featuring huge boxed steel front a-arms, double-shear joints, M14 bolts and more.

# UNITIZED HUBS

BRINGING ONROAD TECHNOLOGY OFF-ROAD

Unitized hubs protect your bearings from dust, sand and dirt. Your RZR will operate at its prime longer, and you'll have the freedom to ride even farther off-road.

# ONLY AVAILABLE ON RZR PRO R





# ONE-PIECE FULLY WELDED ROLL CAGE

SURROUND YOURSELF WITH STRENGTH

RZR Pro R features an all-new one-piece, fully welded roll cage that delivers next-level strength. In addition to giving you greater confidence, the cage adds additional rigidity to the chassis, helping to efficiently deliver more power to the ground and you to the front of the pack.

# THE INCREDIBLE STRENGTH OF THE RZR PRO R




# DUAL PATH CLUTCH COOLING

LESS MAINTENANCE AND MORE RIDE TIME

The CVT on the RZR Pro R is redesigned to include bigger clutches, an increased center distance, a larger belt and enhanced air flow to minimize heat for longer belt life.


This means improved performance and more epic time out riding.



# STRONGER DRIVELINE

MORE STRENGTH TO DELIVER BIG POWER

Push the limits knowing that the driveshafts, prop shafts, half shafts and knuckles in your RZR Pro R are stronger than ever before and that a new torque limiter is there to help protect your front drive from sudden surges during power-on landings.





# **OUR SMARTEST** SUSPENSION YET

DYNAMIX DV is the next generation of off-road suspension control. Like previous DYNAMIX systems, it monitors input from the driver and machine 200 times per second and automatically adjusts each shock to reduce corner lean, soak up bumps and handle almost anything in your way. And now, with FOX® Live Valve X2 shocks, it's the first in the industry to provide electronic independent compression and rebound control, providing you with a ride that is as smooth as possible throughout the system's massive usable travel.

\*DYNAMIX DV AVAILABLE ONLY ON RZR TURBO R ULTIMATE AND RZR PRO R ULTIMATE

COMPRESSION AND ELECTRIC REBOUND SUSPENSION SYSTEM



# COMPRESSION AND REBOUND

SEMI-ACTIVE DAMPING CONTROL SYSTEM

DYNAMIX DV utilizes both a compression valve and a rebound valve to independently control damping across the suspension system's full range of motion — an industry first. This revolutionary system controls everything from shock reaction to vehicle height for the ideal ride in any situation.



# **B**UTTON

AN ANSWER TO THE UNEXPECTED

Also known as the "Oh (Bleep) Button," it's the ultimate answer for ugly surprises. It lets you instantly take all four shocks to Full Firm Compression Damping and keeps them there until you release the button. You can control your suspension without ever having to take vour hands off the wheel.

## SUSPENSION MODES REVOLUTIONARY RIDE CONTROL



M O D E 1:

## COMFORT

SOAK UP BUMPS

Enjoy maximum comfort with plush suspension settings for all-day rides.

### COMPRESSION/REBOUND DAMPING

Low compression damping and low rebound damping for maximum absorption. Perfect for a long day of riding.



M O D E 2:

## TRACK

OPTIMAL CORNERING PERFORMANCE

Perfect for twisty trails or short-course racing tracks.

### COMPRESSION/REBOUND DAMPING

Medium compression damping and high rebound damping maximize handling performance to corner like you're running on rails.



M O D E 3:

## ROCK

CRAWL OVER ROCKS AND BOULDERS

High ride height ideal for rock crawling or off-camber driving situations.

### COMPRESSION/REBOUND DAMPING

When traversing rocks and slopes, the vehicle measures the angle and adjusts compression and rebound damping to lean the vehicle into the slope and maximize stability.



M O D E 4:

## BAJA

FLOAT THROUGH THE WHOOPS

This aggressive tuning provides trophytruck feel in rough desert.

### COMPRESSION/REBOUND DAMPING

High compression damping and low rebound damping allows the shocks to extend for maximum travel and ground contract. In corners, it lowers the front end for aggressive cornering.



## AUTO-ADJUSTED POWER STEERING

MORE CONTROL IN YOUR HANDS

In addition to monitoring and controlling the suspension system, DYNAMIX DV reacts to vehicle inputs to automatically adjust power steering. By dampening the impact the wildest terrain has on the wheel, your hands and your body, the ststem gives you greater comfort, control and confidence.





## RZR TURBO R SPORT - 74"



Colour Options Cruiser black









ISOLATED XTREME PERFORMANCE TRUE ON-DEMAND AWD/2WD



WALKER EVANS **VELOCITY SERIES** SHOCKS



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-BORE REAR CALIPERS



TUBULAR TRAILING ARM WITH STABILIZER BAR 71.9CM USABLE TRAVEL



RACK MOUNTED HIGH ASSIST ELECTRONIC POWER STEERING WITH QUICK TURN RACK



32" TYRES WITH 15" PAINTED CAST **ALUMINIUM WHEELS** 



ELECTRONIC FUEL INJECTION

### ENGINE & DRIVETRAIN

TIONAL

4 Ш

 $\alpha$ O Ш

RT/R

0 Д ហ

925 cc / 4-Stroke DOHC Twin Cylinder Displacement / Engine Type Turbocharged EFI Isolated Xtreme Performance True On-Drive System Type Demand AWD/2WD 181 HP Horsepower

SUSPENSION	
Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
Rear Suspension	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9cm Wheel Travel, Unitized Hubs
Front Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Wheels	Painted Cast Aluminium Rim with 5-Lug Pattern

### DIMENSIONS

Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm
Fuel Capacity	45.4 L
Ground Clearance	40.6 cm
Vehicle Size (L x W x H)	325 x 188 x 189 cm
Payload Capacity	331 kg
Wheelbase	244 cm
Estimated Dry Weight	881 kg
ADDED FEATURES	

Other Standard Features	High Output 900w charging system, Polaris Pulse system, In-Dash Vehicle Charge Port, 2 DC Accy ports, Polaris P.A.S.S., Colored Toe Link, Mud and Rock Guards
Steering Wheel	Race Inspired Steering Wheel with Tilt Adjustment





## RZR TURBO R ULTIMATE - 74"





Colour Options Orange Madness







ISOLATED XTREME PERFORMANCE TRUE ON-DEMAND AWD/2WD



FOX 3.0 LIVE VALVE X2 SHOCKS



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-BORE REAR CALIPERS



TUBULAR TRAILING ARM WITH STABILIZER BAR 71.9CM USABLE TRAVEL



ROCKFORD FOSGATE AUDIO



32" TYRES WITH 15" PAINTED CAST **ALUMINIUM WHEELS** 



ELECTRONIC FUEL INJECTION



GPS RIDE COMMAND 7" TOUCH SCREEN DISPLAY



RACK MOUNTED HIGH ASSIST ELECTRONIC POWER STEERING WITH QUICK TURN RACK

### ENGINE & DRIVETRAIN

TIONA

4 Ш

 $\alpha$ C Ш

RT/R

0 Д ហ

Displacement / Engine Type	925 cc / 4-Stroke DOHC Twin Cylinder Turbocharged EFI
Drive System Type	Isolated Xtreme Performance True On- Demand AWD/2WD

#### 181 HP Horsepower

SUSPENSION	
Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
Rear Suspension	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9cm Wheel Travel, Unitized Hubs
Front Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Wheels	Painted Cast Aluminium Rim with 5-Lug

Pattern

### DIMENSIONS

Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm
Fuel Capacity	45.4 L
Ground Clearance	40.6 cm
Vehicle Size (L x W x H)	325 x 188 x 189 cm
Payload Capacity	331 kg
Wheelbase	244 cm
Estimated Dry Weight	913 kg
ANNEN FFATURES	

### AUDED FEATURES

Other Standard Features	RIDE COMMAND®, High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 2 front DC Accy ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link
	Race Inspired Steering Wheel with Tilt and

Steering Wheel Telescoping Adjustment





### RZR TURBO R 4 ULTIMATE - 74"



Colour Options



Orange Madness







ISOLATED XTREME PERFORMANCE TRUE ON-DEMAND AWD/2WD



FOX 3.0 LIVE VALVE X2 SHOCKS



4-WHEEL HYDRAULIC DISC WITH TRIPLE-BORE FRONT AND DUAL-BORE **REAR CALIPERS** 



TUBULAR TRAILING ARM WITH STABILIZER BAR 71.9CM USABLE TRAVEL



ROCKFORD **FOSGATE AUDIO** 



32" TYRES WITH 15" PAINTED CAST **ALUMINIUM WHEELS** 



ELECTRONIC FUEL INJECTION



**GPS RIDE COMMAND** 7" TOUCH SCREEN DISPLAY



RACK MOUNTED HIGH ASSIST ELECTRONIC POWER STEERING WITH QUICK TURN RACK

### ENGINE & DRIVETRAIN

925 cc / 4-Stroke DOHC Twin Cylinder Displacement / Engine Type Turbocharged EFI Isolated Xtreme Performance True On-Drive System Type Demand AWD/2WD

181 HP Horsepower

### SUSPENSION

4 Z

0

Н

 $\vdash$ 

4

Ш

 $\alpha$ C

Ш T/R

 $\alpha$ 0

Д

ហ

Light Weight Boxed Dual A-Arm with 3 piece Front Suspension Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs

Tubular Trailing Arm with boxed gusseting

and Toe Link, High Clearance Radius Rods, Rear Suspension and Stabilizer Bar and 71.9cm Usable Travel,

56.9 cm Wheel Travel, Unitized Hubs

32 x 10-15 Maxxis Rampage Fury; 8-Ply Front Tyres

Rated; Wheel Size 15x7

32 x 10-15 Maxxis Rampage Fury; 8-Ply Rear Tyres

Rated: Wheel Size 15x7

Painted Cast Aluminium Rim with 5-Lug Wheels

Pattern

### DIMENSIONS

 $(L \times W \times H)$ 

**Bed Box Dimensions** 66 x 45 x 29.2 cm

Fuel Capacity 49.2 L

40.6 cm **Ground Clearance** 

Vehicle Size (L x W x H) 340 x 188 x 196 cm

Payload Capacity 526 kg

Wheelbase 317.5 cm

Estimated Dry Weight 1037 kg

### ADDED FEATURES

RIDE COMMAND®, High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 1 front DC Accy ports, Other Standard Features 1 rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link

Race Inspired Steering Wheel with Tilt and Steering Wheel Telescoping Adjustment





## RZR PRO R ULTIMATE - 74"



Colour Options Ma Azure Crystal









4 CYLINDER 2.0 LITRE ENGINE



FOX 3.0 LIVE VALVE X2 SHOCKS



4-WHEEL HYDRAULIC DISC WITH TRIPLEBORE FRONT AND DUAL-BORE REAR CALIPERS



BOXED TRAILING ARM WITH STABILIZER BAR 73.7CM USABLE TRAVEL



ROCKFORD FOSGATE AUDIO



32" TYRES WITH 15" PAINTED CAST **ALUMINIUM WHEELS** 



ELECTRONIC FUEL INJECTION



GPS RIDE COMMAND 7" TOUCH SCREEN DISPLAY

### ENGINE & DRIVETRAIN

TIONA

4 Ш  $\alpha$ Ü Ш

RT/R

0

Д ហ

THOTHE O DISTRIBUTE	
Displacement / Engine Type	1997cc / 4-Stroke DOHC Inline Four Cyclinder EFI
Drive System Type	Pro Performance True 2WD/4WD/4WD Lock
SUSPENSION	
Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
	Boxed Trailing Arm with Toe Link, High- Clearance Radius Rods, and 3 piece

Front Tyroo	32 x 10-15 Maxxis Rampage Fury; 8-Ply
Front Tyres	D-+I M/LI O: 1E7

Rated; Wheel Size 15x7

62.2 cm Wheel Travel, Unitized Hubs

32 x 10-15 Maxxis Rampage Fury; 8-Ply Rear Tyres

Rated; Wheel Size 15x7

Painted Cast Aluminum Rim with 5-Lug Wheels

Pattern

### DIMENSIONS

Bed Box Dimensions (L x W x H)	75 x 60.5 x 20.6 cm
Fuel Capacity	45.4 L

Ground Clearance	40.6 cm

Vehicle Size (L x W x H)	347 x 188 x 185 cm

Payload Capacity	336 kg
Box Capacity	136 kg

Wheelbase	265.4 cm

Estimated Dry	v Weight	992 ka

### ADDED FEATURES

Other Standard Features	RIDE COMMAND®, High Output External 1700W Alternator, Polaris Pulse System, In-Dash Charge Port, 1 front DC Accy ports, 1 rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link		
Steering Wheel	Race Inspired Steering Wheel with Tilt and		





### RZR PRO R 4 ULTIMATE - 74"



Colour Options M



Azure Crystal







4 CYLINDER 2.0 LITRE ENGINE



FOX 3.0 LIVE VALVE X2 SHOCKS



4-WHEEL HYDRAULIC DISC WITH TRIPLEBORE FRONT AND DUAL-BORE REAR CALIPERS



BOXED TRAILING ARM WITH STABILIZER BAR 73.7CM USABLE TRAVEL



ROCKFORD **FOSGATE AUDIO** 



32" TYRES WITH 15" PAINTED CAST **ALUMINIUM WHEELS** 



ELECTRONIC FUEL INJECTION

### ENCINE & DDIVETDAIN

TIONA

4 Ш  $\alpha$ Ü Ш T/R

 $\square$ 

0

Д ហ

ENGINE & DRIVEIRAIN	
Displacement / Engine Type	1997cc / 4-Stroke DOHC Inline Four Cylinder EFI
Drive System Type	Pro Performance True 2WD/4WD/4WD Lock
SUSPENSION	
Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
Poor Suppopoion	Boxed Trailing Arm with Toe Link, High- Clearance Radius Rods, and 3 piece

32 x 10-15 Maxxis Rampage Fury; 8-Ply Front Tyres

Rated: Wheel Size 15x7

Stabilizer Bar and 73.7cm Usable Travel,

62.2 cm Wheel Travel, Unitized Hubs

32 x 10-15 Maxxis Rampage Fury; 8-Ply Rear Tyres

Rated; Wheel Size 15x7

Painted Cast Aluminum Rim with 5-Lug Wheels

Pattern

### DIMENSIONS

Rear Suspension

Bed Box Dimensions (L x W x H)	75 x 60.5 x 20.6 cm		
Fuel Capacity	46.56 L		

40.6 cm **Ground Clearance** 

Vehicle Size (L x W x H) 420 x 188 x 194 cm

Payload Capacity 408 kg **Box Capacity** 136 kg

Wheelbase 339.1 cm

Estimated Dry Weight 1125 kg

ADDED FEATURES	
Other Standard Features	RIDE COMMAND®, High Output External 1700W Alternator, Polaris Pulse System, In-Dash Charge Port, 1 front DC Accy ports, 1 rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link
Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior

Accent Lighting

119





## POLARIS SPORT/RECREATIONAL DARE TO COMPARE



RZR XP 1000 SPORT EPS - 64"

COMPARE THE FACTS	RZR XP 1000 SPORT EPS - 64"	CAN-AM MAVERICK X3 DS TURBO	KAWASAKI TERYX KRX 1000	HONDA TALON SXS1000S2R
HORSEPOWER (HP)	110	120	113	105
GROUND CLEARANCE (MM)	35.6	35.6	36.5	33
ALL-WHEEL-DRIVE	High-Performance True On-Demand AWD/2WD	Selectable 2WD / 4WD with Visco-Lok+ auto-locking front differential	2WD/4WD, Shaft	2WD and i-4WD
WHEELBASE (CM)	228.6	259.1	251	222.6
TYRES	29" Radial Tyre	28" MAXXIS Bighorn	31" MAXXIS Carnivore	28"*
FUEL CAPACITY (L)	35.9	40	40	27.6
USABLE SUSPENSION TRAVEL FRONT/REAR (MM)	50.8 / 50.8	50.8 / 50.8	*	*



POLARIS DYNAMIX VS. CAN-AM SMART SHOX

DYNAMIX FOX LIVEVALVE TECHNOLOGY	CAN-AM SMART SHOX STANDARD FOX SHOCKS WITHOUT LIVEVALVE
3 SUSPENSION MODES + X BUTTON 3 Ride Modes to Best Fit Your Ride: Comfort, Sport & Firm All 3 ride modes have semi-active damping control. PLUS X Button to send the compression damping full firm for 1 second when you see unexpected terrain.	3 SUSPENSION MODES 3 Ride Modes: Comfort, Sport, Sport+ 2 modes with semi-active damping control and one full stiff (Sport+). No X Button.
YEARS AHEAD IN DEVELOPMENT WITH THE FIRST INTELLIGENT COMPRESSION SUSPENSION Increased learning and development from being first to market.  3 years of proven performance and durability.	PISTON VALVE CONTROL  Can-Am Smart Shox sense then react using a piston valve
PREDICTIVE CONTROL  Valve reaction time of 0.04 seconds, updating damping targets at 200 times/second with predictive control algorithms.  Steering angle sensor helps predict corners quicker.  Suspension dampers adjust through the entire turn to promote optimal cornering.  Airborne feature pre-predicts landing so that the vehicle lands full stiff.	VALVE REACTION  Valve reaction time of 0.014 seconds, updating damping targets at 200 times/second.  No steering angle sensor and must react to corner versus predicting the corner.  No marketed Airborne feature.
INTEGRATED THROUGHOUT  Control and change modes from the steering wheel.  X button on steering wheel for instant adjustment and firming when unexpected terrain hits.  Visualization from the driver's seat via RIDE COMMAND.	LIMITED INTEGRATION  No steering wheel controls.  No visualization like RIDE COMMAND

### COMPARISON MADE BETWEEN 2021 CAN-AM AND POLARIS MODELS.

\*Can-Am Maverick are trademarks of Bombardier Recreational Products Inc. Kawasaki Teryx is a trademark of Kawasaki Heavy Industries Inc. Honda Talon is a trademark of Honda Motor Company Ltd. All comparative data sourced from manufacturer websites, physical assessment and brochure downloads from those sites prior to 9.12.20. \*Information not available.







### **RANGER 150 EFI**

### RZR 200 EFI

	Engine Type	4-Stroke Single Cylinder	4-Stroke Single Cylinder	
ENGINE	Displacement	150cc	180cc	
ENG	Fuel System	EFI	EFI	
	Cooling	Air & Oil	Air & Oil	
	Transmission / Final Drive	Automatic PVT F/N/R; Chain	Automatic PVT F/N/R; Chain	
DRIVETRAIN	Drive System	2WD	2WD	
DRIV	Engine Braking System / Active Descent Control	Not Equipped/Not Equipped	Not Equipped/Not Equipped	
SUSPENSION	Front Suspension	Single A-Arm with 13 cm Travel	Dual A-Arm with 17.8 cm Travel	
SUSPE	Rear Suspension	Dual Shock Swingarm with 15.2 cm Travel	Independent Rear Suspension with 17.8 cm Travel	
BRAKES	Front / Rear Brakes	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	
BR	Parking Brake	Hand-Actuated	Hand-Actuated	
HEELS	Front Tyres 22 x 7-10 Wanda		24 x 8 - 12 CST	
YRES AND WHEELS	Rear Tyres	22 x 10-10 Wanda	24 x 10 - 12 CST	
TYRES	Wheels	Stamped Steel	Stamped Steel	
	Wheelbase	165.1 cm	165.1 cm	
	Dry Weight	305 kg	334 kg	
IES	Overall Vehicle Size (L x W x H)	215.9 x 121.9 x 147.3 cm	225.6 x 121.9 x 151.2 cm	
DIMENSIONS / CAPACITIES	Ground Clearance	20.3 cm	25.4 cm	
ONS / C	Seat Height	N.A.	N.A.	
1ENSIG	Fuel Capacity	9.5 L	9.5 L	
吉	Front / Rear Rack or Box Capacity	N.A./22.7 kg	22.7 kg/N.A.	
	Payload Capacity	170 kg	170 kg	
	Hitch Type	N.A.	N.A.	
ES	Lighting	Day Time Running Lights, Single Rear Breakelight/Taillight	LED Running Lights, Single Rear Breakelight/Taillight	
FEATURES	Electronic Power Steering	Not Equipped	Not Equipped	
Œ	Instrumentation	Digital Display with Gear Indicator, Odometer, Trip Meter, Voltage, Engine Temperature, Engine Hour Interval, Ground Speed, Engine RPM	Digital Display with Gear Indicator, Odometer, Trip Meter, Voltage, Engine Temperature, Engine Hour Interval, Ground Speed, Engine RPM, Youth Ride Command (Speed Limiting, Geofencing, Helmet Aware)	
	Colours	Avalancha Grav	White	

Colours Avalanche Gray White

Colours









### RANGER SP 530

Sage Green

### RANGER 570 HD EPS ADC

### RANGER SP 570 PREMIUM

Pursuit Camo

### RANGER 1000 EPS

Sage Green

	Engine Type	4-Stroke Single Cylinder DOHC	4-Stroke Single Cylinder DOHC	4-Stroke Single Cylinder DOHC	4-Stroke Twin Cylinder SOHC
뾜	Displacement	567cc	567cc	567cc	999cc
ENGINE	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid	Liquid
AIN	Transmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft
DRIVETRAIN	Drive System	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	ADC Equipped	Not Equipped/Not Equipped	Not Equipped/Not Equipped
NOISN	Front Suspension	MacPherson Strut 22.9 cm Travel	MacPherson Strut 22.9 cm Travel	MacPherson Strut 22.9 cm Travel	Dual A-Arm 25.4 cm Travel
SUSPENSION	Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
BR/	Parking Brake	Park in Transmission	Park in Transmission	Park in Transmission	Park in Transmission
AND	Front Tyres	25 x 8-12; Carlisle 489	25 x 8-12; Carlisle 489	25 x 8-12; Carlisle 489	25 x 10-12; Carlisle 489
ESA	Rear Tyres	25 x 10-12; Carlisle 489	25 x 10-12; Carlisle 489	25 x 10-12; Carlisle 489	25 x 11-12; Carlisle 489
FS	Wheels	Stamped Steel	Stamped Steel	12" Black Aluminum	Stamped Steel
	Wheelbase	185.4 cm	200.7 cm	185.4 cm	206 cm
	Dry Weight	525 kg	486 kg	564 kg	674 kg
10	Overall Vehicle Size (L x W x H)	274.3 x 142.2 x 188 cm	290 x 152 x 188 cm	274.3 x 142.2 x 188 cm	305 x 158 x 193 cm
Ë	Ground Clearance	27.9 cm	26.7 cm	27.9 cm	30.5 cm
APA(	Seating Capacity	2	3	2	3
S/C	Fuel Capacity	35.9 L	34.1L	35.9 L	43 L
DIMENSIONS / CAPACITIES	Bed Box Dimensions (L x W x H)	84.6 x 123.7 x 31.2 cm	93 x 137 x 29 cm	84.6 x 123.7 x 31.2 cm	93.3 x 137.8 x 31.75 cm
DIME	Front/Rear Rack or Box Capacity	N.A / 227 kg	N.A / 363 kg	N.A / 227 kg	N.A / 454 kg
	Payload Capacity	453 kg	680 kg	420 kg	680 kg
	Hitch Towing Rating	680 kg	680 kg	680 kg	1,134 kg
	Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard 5 cm Receiver
	Cargo System/Cab	Lock & Ride®	Lock & Ride®	Lock & Ride®	Lock & Ride®
	Lighting	55W Headlight, LED Taillamps	50W Headlight, LED Taillight	High/Low Beam LED Headlights LED Taillamps	Halogen Headlamps, 55W Low Beam, 60W High Beam, Dual LED Taillamps
	Electronic Power Steering	Not Equipped	Standard	Standard	Standard
RES	Adjustable Driver's Seat	Not Equipped	Not Equipped	Not Equipped	Not Equipped
FEATURES	Tilt Steering	Standard	Standard	Standard	Standard
	Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	Single Analog Dial with 2" LCD Rider Information Center: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seatbelt Reminder Light, DC Outlet	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet
	Other Standard Features	Gas Assist Dump Box, Single Latch Tailgate, Rear-mounted Fiberglass Insulated Exhaust System, Standard In-dash SAE Charge Port, 340 CCA Battery, 660W Charging System (Stator)	N.A	Gas Assist Dump Box, Single Latch Tailgate, Rear-mounted Fiberglass Insulated Exhaust System, Standard In-dash SAE Charge Port, 575 CCA Battery, 660W Charging System (Stator)	Polaris Pulse Electrical System (3 position), Standard In-Dash SAE Charge Port

Colours









### RANGER 1000 PREMIUM

Springfield Blue

### RANGER XP 1000 HD EPS ADC

RANGER DIESEL HD EPS ADC

Sage Green

### RANGER XP 1000 NORTHSTAR PREMIUM

E	Engine Type	4-Stroke Twin Cylinder SOHC	4-Stroke Twin Cylinder DOHC	Kubota 3-Cylinder Diesel	4-Stroke Twin Cylinder DOHC
	Displacement _	999cc	999cc	898cc	999cc
<u> </u>	System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Mechanical Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid	Liquid
	ransmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H / L / N / R / P; Shaft	Automatic PVT H/L/N/R/P; Shaft
DI Engine	Orive System	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/Versatrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
	e Braking System / e Descent Control	Not Equipped/ Not Equipped	ADC Equipped	ADC Equipped	Not Equipped / Not Equipped
NOS From	ont Suspension	Dual A-Arm 25.4 cm Travel	Dual A-Arm 27.9 cm Travel	Dual A-Arm with Stabilizer Bar 27.9 cm Travel	Dual A-Arm 27.9 cm Travel
SO From Rea	ar Suspension	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 27.9 cm Travel	Dual A-Arm IRS with Stabilizer Bar 27.9 cm Travel	Dual A-Arm, IRS 27.9 cm Travel
BRAKES Fron	nt/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	Hydraulic Disc	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
Pa Pa	arking Brake	Park in Transmission	Park in Transmission	Hand-Actuated	Park in Transmission
FELS PAND	Front Tyres	26 x 9-12; PXT 2.0	27 x 9-14; Pro Armor X-Terrain	27 x 9; R12	27 x 9-14; Pro Armor X-Terrain
HEE	Rear Tyres	26 x 11-12; PXT 2.0	27 x 11-14; Pro Armor X-Terrain	27 x 11; R12	27 x 11-14; Pro Armor X-Terrain
₹ ×	Wheels	Aluminum Black Xcelerator 2.0	14" Aluminum	12" Steel	35.6 cm Aluminum
\	Wheelbase	206 cm	206 cm	206 cm	206 cm
[	Dry Weight	674 kg	737 kg	766 kg	867 kg
	rall Vehicle Size (L x W x H)	305 x 158 x 193 cm	305 x 158 x 196 cm	305 x 158 x 196 cm	305 x 165 x 198 cm
Grou	ound Clearance	31.8 cm	33 cm	33 cm	33 cm
Sea Sea	ating Capacity	3	3	3	3
JO FL	- Fuel Capacity	43 L	43.5 L	43.5 L	43.5 L
IS N	Box Dimensions (L x W x H)	93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm
Fro or	ont/Rear Rack · Box Capacity _	N.A / 454 kg	N.A / 454 kg	N.A / 435 kg	454 kg
Pay	yload Capacity	680 kg	680 kg	720 kg	578 kg
Hitch	h Towing Rating	1,134 kg	1,134 kg	1,134 kg	1,134 kg
I	Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver	Receiver w/ ECE R55 ball	Standard 5 cm Receiver
Carg	go System/Cab	Lock & Ride®	Lock & Ride®	Lock & Ride®	Lock & Ride®
	Lighting	Dual LED Headlamps, 600lm Low Beam, 1000lm High Beam, Dual LED Taillamps	Dual LED Headlamps, 1250 Im Low Beam, 2300 Im High Beam, Dual LED Taillamps	Headlights : halogen	Dual LED Headlamps, 1250lm Low Beam, 2300lm High Beam, Dual LED Taillamps
Electron	nic Power Steering	Standard	Standard	Standard	Standard
Adjusta	table Driver's Seat	Standard	Standard	N.A	Standard
T TEATURES	Tilt Steering	Standard	Standard	N.A	Standard
Ins	strumentation	4"LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 1 DC Outlet, 1 USB Charge Port	All Digital Gauge, Speedometer, Odometer, Tachometer, 2 Trip Meters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm, Horn, Backup Alarm	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 2 DC Outlets, 1 USB Charge Por
Other S	Standard Features	Premium Cut & Sew Seats, Polaris Pulse Electrical System (3 position), Standard In-Dash SAE Charge Port	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents	N.A	Polaris HD 4,500 Lb. Synthetic Rope Winch with Autostop and Wireless Remote, Premium Pro-Shield Cab, Doors with Crank Windows, Fixed Glass Windshield with Wipe

Bronson Rock Smoke

Azure Crystal Metallic





### RANGER XP KINETIC PREMIUM

### RANGER XP KINETIC ULTIMATE

Lighton Page  Displacement  Ra  Lighton Fallety  Find System Fallety  Find Fallety  Find Fallety  Find Fallety  Fi		Familia: Time	11.1.0	11.10
Transmission Private System  Front Syspension  F	ш	Engine Type	Interior Permanent Magnet AC Motor	Interior Permanent Magnet AC Motor
Transmission Private System  Front Syspension  F	N S			
Transmission/ Divise System  Big Performance On General True ABD/2000 Versal Face Turt Mode  Big Performance On General True ABD/2000 Versal Face Turt Mode  Big Performance On General True ABD/2000 Versal Face Turt Mode  Regenerative Bashary Mod Equipped  Regenerative Bashary Mod Equipped  Regenerative Bashary Mod Equipped  Regenerative Bashary Mod Equipped  Regenerative Bashary Mode Equipped Equipped  Regenerative Bashary Mode Equipped Equipped  Regenerativ	5			
Final Drive  Page 1990  Page 1990			Active Air and Liquid	Active Air and Liquid
Refront Supersion  Port Supersion  Read Supersion  Read Supersion  Read Supersion  Dual A-Arm 25.4 cm Tread  Tread Supersion  Park In-Transmission  Park I	SAIN		Gates Synchronous Belt H/L/N/P (Electronic Forward/Reverse), Shaft	Gates Synchronous Belt H/L/N/P (Electronic Forward/Reverse), Shaft
Refront Supersion  Port Supersion  Read Supersion  Read Supersion  Read Supersion  Dual A-Arm 25.4 cm Tread  Tread Supersion  Park In-Transmission  Park I	SIVETE	ĺ.	High Performance On-Demand True AWD/2WD/ VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/ VersaTrac Turf Mode
Front/Rear Brakes   4-Wheel Hydraulic Discs with Datal-Bore Front Caligners   4-Wheel Hydraulic Discs with Data-Bore Front Caligners with Data-Bore Front	=		Regenerative Braking / Not Equipped	Regenerative Braking / Not Equipped
Front/Rear Brakes   4-Wheel Hydraulic Discs with Datal-Bore Front Caligners   4-Wheel Hydraulic Discs with Data-Bore Front Caligners with Data-Bore Front	O N	Front Suspension	Dual A-Arm 25.4 cm Travel	Dual A-Arm 25.4 cm Travel
Front Tyres 29 x 9-1x, PRO ARMOR X-TERRAINS 9-Py Rated 29 x 1-1x, PRO ARMOR X-TERRAINS 9-Py Rated 20 x 1-1x, PR		Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel
Front Tyres 29 x 9-1x, PRO ARMOR X-TERRAINS 9-Py Rated 29 x 1-1x, PRO ARMOR X-TERRAINS 9-Py Rated 20 x 1-1x, PR	AKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front Callipers	4-Wheel Hydraulic Disc with Dual-Bore Front Callipers
Rear Tyres	88	Parking Brake	Park In-Transmission	Park In-Transmission
Wheels 35.6 cm Aluminum 2006 cm 200 c	S S	Front Tyres	29 X 9-14; PRO ARMOR X-TERRAIN; 8-Ply Rated	29 X 9-14; PRO ARMOR X-TERRAIN; 8-Ply Rated
Wheelbase Dry Weight T/85 kg *Pre-production estimates and final vehicles weights may vary slightly  Soverall Vehicle Size (L W x H) Ground Clearance 55.6 cm 35.5 cm 35.5 cm 35.5 cm 35.5 cm 36.2 beating Capacity Fuel Capacity	SH SH	Rear Tyres	29 x 11-14; PRO ARMOR X-TERRAIN; 8-Ply Rated	29 x 11-14; PRO ARMOR X-TERRAIN; 8-Ply Rated
Dry Weight	≥>	Wheels	35.6 cm Aluminum	35.6 cm Aluminum
Overall Vehicle Size (L x W x H) Ground Clearance 35.5 cm 35.5 cm 35.5 cm 35.5 cm 35.5 cm 35.5 cm 36.5 cm 36.5 cm 36.5 cm 37.5 cm 36.5 cm 36.5 cm 36.5 cm 37.5 cm 38.5		Wheelbase	206 cm	206 cm
CL. W. X. H)   SUS X RS		Dry Weight	785 kg *Pre-production estimates and final vehicles weights may vary slightly	900 kg *Pre-production estimates and final vehicles weights may vary slightly
Payload Capacity Hitch Towing Rating Hitch Type Standard S cm Receiver Lighting Lighting Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Tilt Steering Standard Standard Standard Standard Seat Type Standard Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding Instrumentation Instrumentation  The Standard S	s		305 x 158 x 198 cm	305 x 158 x 198 cm
Payload Capacity Hitch Towing Rating Hitch Type Standard S cm Receiver Lighting Lighting Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Tilt Steering Standard Standard Standard Standard Seat Type Standard Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding Instrumentation Instrumentation  The Standard S	闄	Ground Clearance	35.6 cm	35.5 cm
Payload Capacity Hitch Towing Rating Hitch Type Standard S cm Receiver Lighting Lighting Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Tilt Steering Standard Standard Standard Standard Seat Type Standard Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding Instrumentation Instrumentation  The Standard S	APAC	Seating Capacity	3	3
Payload Capacity Hitch Towing Rating Hitch Type Standard S cm Receiver Lighting Lighting Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Tilt Steering Standard Standard Standard Standard Seat Type Standard Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding Instrumentation Instrumentation  The Standard S	S/C	Fuel Capacity	N.A	N.A
Payload Capacity Hitch Towing Rating Hitch Type Standard S cm Receiver Lighting Lighting Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Tilt Steering Standard Standard Standard Standard Seat Type Standard Seat Type Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding Instrumentation Instrumentation  The Standard S	NSION		93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm
Hitch Towing Rating Hitch Type Standard 5 cm Receiver  Lock & Ride® Lock & Ride® Lock & Ride® Lock & Ride® Lighting Dual LED Headlamps, 1250Im low beam, 2300Im high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps Electronic Power Steering Standard Seat Type Tilt Steering Tilt Steering Tilt Steering Standard  Standard  Standard  Center Mounted 7 Glove Touch Display with EV Infotainment (Includes Range Remaining, Battery State of Charge, Accessary Voltage, Speedometer, Obmeter, Figher Read Earbery Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding Wheel and Interior Accents, Polaris Pulse Electrical System (B position), DC Outlets, Dual USB Port, Cargo Box Located 12V SAE Port with In-Dash On/Off Switch  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding Center: Power Use and Regen Accessory Voltage, Speedometer, Obmeter, Tripmeter, Gear Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock  Diver's Standard Features  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Co	DIME		N.A / 567 kg	N.A / 567 kg
Hitch Type  Cargo System/Cab  Lighting  Dual LED Headlamps, 1250Im low beam, 2300Im high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps  Electronic Power Steering  Standard  Standard  Standard  Standard  Standard  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Tilt Steering  Tilt Steering  Diviver's Side Dual-sweep Analog Dials w/ 4" Multi-Color LCD Rider Information Center: Power Use and Regen Asaftery State of Charge & Range Remaining, Charging Rate, Battery State of Charge & Range Remaining, Charging Rate, Battery State of Charge & Range Remaining, Charging Rate, Battery State of Charge & Range Remaining, User Selectable Backlighting & Brightness, Clock, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), DC Outlets, Dual USB Port, Cargo  Box Located 12V SAE Port with In-Dash On/Off Switch  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Indicator and Codes, Programmable Service Intervals, Sea Belt Reminder, User Selectable Backlighting & Brightness, Clock Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Indicator and Codes, Programmable Service Intervals, Sea Belt Reminder, User Selectable Backlighting & Brightness, Clock Brightness, Clock Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew		Payload Capacity	680 kg	680 kg
Cargo System/Cab  Lighting  Dual LED Headlamps, 1250Im low beam, 2300Im high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps  Electronic Power Steering  Standard  Standard  Standard  Standard  Standard  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Tilt Steering  Standard  Standard  Standard  Center Mounted 7 Glove Touch Display with EV Infotainment (includes Range Remaining, Battery State of Charge, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Motor Temperature, Motor Temperature, Motor Stemperature, Motor Temperature, Motor		Hitch Towing Rating	1,134 kg	1,134 kg
Lighting  Dual LED Headlamps, 1250Im low beam, 2300Im high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps  Electronic Power Steering  Standard  Standard  Standard  Standard  Standard  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Till Steering  Standard  Standard  Standard  Center Mounted 7 Glove Touch Display with EV Infotainment (includes Range Remaining, Battery State of Charge, Range Remaining, Charging Rate, Battery State of Charge %, Range Remaining, Charging Rate, Battery State of Charge %, Battery State of Charge %, Bedemeter, User Selectable Backlighting & Brightness, Clock, Programmable Service Indicator, Service Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering More Temperature, Accessory Voltage, Speedometer, Odometer, Tripmeter, Gear Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock Brightness, Clock Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Br		Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver
Electronic Power Steering  Standard  Standard  Standard  Standard  Standard  Standard  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding  Tilt Steering  Standard  Standard  Standard  Standard  Standard  Center Mounted 7 Glove Touch Display with EV Infotainment (includes Range Remaining, Battery State of Charge, Range Remaining, Charging Rate, Battery State of Charge %, Range Remaining, Charging Rate, Battery State of Charge %, Battery State of		Cargo System/Cab		
Seat Type  Tilt Steering  Standard  Standard  Standard  Standard  Standard  Driver's Side Dual-sweep Analog Dials w/ 4" Multi-Color LCD Rider Information Center: Power Use and Regen %, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Voltage, Speedometer, Odometer, Tripmeter, Gear Indicator, Service Indicator, and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting, Brightness, Clock, Programmable Service Intervals, Seat Selectable Backlighting, Brightness, Diad USB Port, Cargo Box Located 12V SAE Port with In-Dash On/Off Switch  Other Standard  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock Brightness, Clock  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroi		Lighting	Dual LED Headlamps, 1250lm low beam, 2300lm high beam, LED Front Accent Light with Charge Indicator, Dual LED Taillamps	
Tilt Steering  Standard  Standard  Standard  Standard  Standard  Standard  Standard  Driver's Side Dual-sweep Analog Dials w/ 4' Multi-Color LCD Rider Information Center: Power Use and Regen %, Battery State of Charge %, Range Remaining, Charging Rate, Battery State of Charge %, Range Remaining, Charging Rate, Battery State of Charge %, Seedometer, Odometer, Tripmeter, Gear Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Box Located TZV SAE Port with In-Dash On/Off Switch  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbac		Electronic Power Steering	Standard	Standard
Driver's Side Dual-sweep Analog Dials w/ 4" Multi-Color LCD Rider Information Center: Power Use and Regenting. State of Charge, %, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Voltage, Speedometer, Odometer, Tripmeter, Gear Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock, Programmable Service Intervals, Seat swith Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Median Interior Accessory Voltages, Speedometer, Odometer, Tripmeter, Gear Indicator, Service Information Center: Power Use and Regent %, Battery State of Charge, %, Battery State of Charge, St		Seat Type	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding
"%, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Voltage, Speedometer, Colometer, Tripmeter, Gear Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Belt Reminder, User Selectable Backlighting & Brightness, Clock, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), DC Outlets, Dual USB Port, Cargo  Box Located IZV SAE Port with In-Dash On/Off Switch  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding,  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding,  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding,  Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding,	IRES	Tilt Steering	Standard	Standard
	FEATU	Instrumentation	%, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Voltage, Speedometer, Odometer, Tripmeter, Gear Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Beit Reminder, User Selectable Backlighting & Brightness, Clock, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Brandling, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (fi position), De Outlets, Dual USB Port, Cargo	Charging Status, Launch Indicator, System Diagnostics and more I, Speed Limiting, Plow Mode, "Group Ride, "GPS Navigation, Air Temp, Bulsoton, AM/FM Radio, Driver's Side Duls-weep Analog Dials wi 4" Multi-Color LQR Rider Information Center: Power Use and Regen %, Battery State of Charge %, Range Remaining, Charging Rate, Battery Temperature, Motor Temperature, Accessory Voltage, Speedometer, Odometer, Tripmeter, Ceaer Indicator, Service Indicator and Codes, Programmable Service Intervals, Seat Bel Reminder, User Selectable Backlighting &
		Other Standard Features		

Colours Ice White Pearl Ice White Pearl









### RANGER CREW SP 570 PREMIUM

### RANGER CREW 1000 PREMIUM

### RANGER CREW XP 1000 PREMIUM

### RANGER CREW XP 1000 NORTHSTAR PREMIUM

	Engine Type	4-Stroke Single Cylinder DOHC	4-Stroke Twin Cylinder SOHC	4-Stroke Twin Cylinder DOHC	4-Stroke Twin Cylinder DOHC
ä	Displacement	567cc	999сс	999сс	999сс
ENGINE	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid	Liquid
AIN	Transmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft
DRIVETRAIN	Drive System	On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped
NOISN	Front Suspension	MacPherson Strut 22.9 cm Travel	Dual A-Arm 25.4 cm Travel	Dual A-Arm 27.9 cm Travel	Dual A-Arm 27.9 cm Travel
SUSPENSION	Rear Suspension	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 25.4 cm Travel	Dual A-Arm, IRS 27.9 cm Travel	Dual A-Arm, IRS 27.9 cm Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
	Parking Brake	Park in Transmission	Park in Transmission	Park in Transmission	Park in Transmission
S S	Front Tyres	25 x 8-12; Carlisle 489	26 x 9-12; PXT 2.0	27 x 9-14; Pro Armor X-Terrain	27 x 9-14; Pro Armor X-Terrain
YRES AND WHEELS	Rear Tyres	25 x 10-12; Carlisle 489	26 x 11-12; PXT 2.0	27 x 11-14; Pro Armor X-Terrain	27 x 11-14; Pro Armor X-Terrain
≥≤	Wheels	30.5 cm Black Aluminum	Aluminum Black Xcelerator 2.0	35.6 cm Aluminum	35.6 cm Aluminum
	Wheelbase	266.7 cm	287 cm	287 cm	287 cm
	Dry Weight	703 kg	814 kg	859 kg	1,063 kg
ξ	Overall Vehicle Size (L x W x H)	365.8 x 142.2 x 188 cm	386 x 158 x 193 cm	386 x 158 x 196 cm	386 x 165 x 198 cm
DIMENSIONS / CAPACITIES	Ground Clearance	27.9 cm	31.8 cm	33 cm	33 cm
	Seating Capacity	4	6	6	6
	Fuel Capacity	35.9 L	43 L	43.5 L	43.5
	Bed Box Dimensions (L x W x H)	84.6 x 123.7 x 31.24 cm	93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm	93.3 x 137.8 x 31.75 cm
DIME	Front/Rear Rack or Box Capacity	N.A / 227 kg	N.A / 454 kg	454 kg	455 kg
	Payload Capacity	499 kg	794 kg	767 kg	558 kg
	Hitch Towing Rating	680 kg	1,134 kg	1,134 kg	1,134 kg
	Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard 5 cm Receiver	Standard 5 cm Receiver
	Cargo System/Cab	Lock & Ride®	Lock & Ride®	Lock & Ride®	Lock & Ride®
	Lighting	High/Low Beam LED Headlights LED Taillamps	Dual LED Headlamps, 600lm Low Beam, 1000lm High Beam, Dual LED Taillamps	Dual LED Headlamps 1250lm Low Beam 2300lm High Beam Dual LED Taillamps	Dual LED Headlamps, 1250lm Low Beam, 2300lm High Beam, Dual LED Taillamps
	Electronic Power Steering	Standard	Standard	Standard	Standard
çç	Adjustable Driver's Seat	Not Equipped	Standard	Standard	Standard
FEATURES	Tilt Steering	Standard	Standard	Standard	Standard
2	Instrumentation	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 2 DC Outlets, 1 USB Charge Port	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedom- eter, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 2 DC Outlets, 1 USB Charge Port
	Other Standard Features	Gas Assist Dump Box, Single Latch Tailgate, Rear-mounted Fiberglass Insulated Exhaust System, Standard In-dash SAE Charge Port, 575 CCA Battery, 660W Charging System (Stator)	Premium Cut & Sew Seats, Polaris Pulse Electrical System (3 position), Standard In-Dash SAE Charge Port.	Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System (6 position), Standard In-Dash SAE Charge Port, NFC Front Badge	Polaris HD 4,500 Lb. Synthetic Rope Winch with Autostop and Wireless Remote, Premium Pro-Shield Cab, Doors with Crank Windows, Fixed Glass Windshield with Wiper , Rear Glass Panel
	Colours	Ghost Gray	Springfield Blue	Bronson Rock Smoke	Azure Crystal Metallic





### PRO XD FULL SIZE DIESEL

### PRO XD FULL SIZE DIESEL CREW

	Engine Type	3-Cylinder Kubota® Diesel	3-Cylinder Kubota® Diesel	
ENGINE	Displacement	898 cc	898 cc	
ENG	Fuel System / Battery	Mechanical Injection	Mechanical Injection	
	Cooling	Liquid	Liquid	
AIN	Transmission/ Final Drive	Automatic PVT H/L/N/R/P; Shaft	Automatic PVT H/L/N/R/P; Shaft	
DRIVETRAIN	Drive System	On-Demand 4x4	On-Demand 4x4	
	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Not Equipped / Not Equipped	
SUSPENSION	Front Suspension	22.9 cm	22.9 cm	
	Rear Suspension	22.9 cm	22.9 cm	
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers	
#	Parking Brake	Park in Transmission + Separate Mechanical Parking Brake Standard	Park in Transmission + Separate Mechanical Parking Brake Standard	
28	Front Tyres	26 x 10-12 Duro® DI-2042 Power Grip (M/T)	26 x 10-12 Duro® DI-2042 Power Grip (M/T)	
SH SH	Rear Tyres	26 x 10-12 Duro® DI-2042 Power Grip (M/T)	26 x 10-12 Duro® DI-2042 Power Grip (M/T)	
25	Wheels	12 x 6 HD Steel - Gloss Black	12 x 6 HD Steel - Gloss Black	
	Wheelbase	215.9 cm	297.2 cm	
	Dry Weight	723 kg	864 kg	
ss.	Overall Vehicle Size (L x W x H)	320 x 159 x 191 cm	399 x 159 x 191 cm	
Ë	Ground Clearance	27.9 cm	27.9 cm	
APA	Seating Capacity	2	4	
S/C	Fuel Capacity	43.5 L	43.5 L	
DIMENSIONS / CAPACITIES	Bed Box Dimensions (L x W x H)	110.5 x 137 x 29 cm	110.5 × 137 × 29 cm	
DIME	Front/Rear Rack or Box Capacity	567 kg	567 kg	
	Payload Capacity	862 kg	941 kg	
	Hitch Towing Rating	1,134 kg	1,134 kg	
	Hitch Type	Standard 5 cm Receiver	Standard 5 cm Receiver	
	Cargo System/Cab	Lock & Ride	Lock & Ride	
	Lighting	55W low/ 60W high, LED Tail	55W low/ 60W high, LED Tail	
	Electronic Power Steering	Optional	Standard	
RES	Adjustable Driver's Seat	Not Equipped	Not Equipped	
FEATURES	Tilt Steering	Standard	Standard	
	Instrumentation -	All Digital Gauge, Speedomoter, Odometer, Tachometer, 2 Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Clutch Belt Slip Warning, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm	All Digital Gauge, Speedomoter, Odometer, Tachometer, 2 Tripmeters, Hour Meter, Gear Indicator, Fuel Gauge, Engine Temperature, Hi-Temp Light, Clock, Clutch Belt Slip Warning, Glow Plug Indicator, Low Oil Pressure Indicator, Seat Belt Indicator, Parking Brake Engaged Alarm	
	Other Standard Features	Horn, Backup Alarm	Horn, Backup Alarm	
	Colours	Grey	Grey	

WORK AND PLAY SPECIFICATIONS







GENERAL 1000 SPORT

### GENERAL XP 1000 SPORT

### **GENERAL XP 4 1000 SPORT**

	Fasina Tuna	ProStar 1000; 4-Stroke DOHC Twin Cylinder	ProStar 1000; 4-Stroke DOHC Twin Cylinder	ProStar 1000; 4-Stroke DOHC Twin Cylinder
ш	Engine Type	Prostar IUUU; 4-Stroke DUHL TWIN LYIINder 999 cc	Prostar Iuuu; 4-stroke DUHL Twin Cylinder	Prostar IUUU; 4-stroke DUHL I WIN Cylinder  999 cc
ENGINE	Displacement _			
-	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling _ Transmission/	Liquid	Liquid	Liquid
AIN	Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
DRIVETRAIN	Drive System –	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode	On-Demand True AWD/2WD/VersaTrac Turf Mode
	Engine Braking System / Active Descent Control	EDA: Engine Deceleration Assist / N.A.	EDA: Engine Deceleration Assist/ N.A.	EDA: Engine Deceleration Assist / N.A.
SUSPENSION	Front Suspension	Dual A-Arm with Stabilizer Bar 31.1 cm Travel	Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 35.6 cm Travel	Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 35.6 cm Travel
	Rear Suspension	Dual Arm IRS with Stabilizer Bar 33.5 cm Travel	Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar, 35.6 Travel	Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar, 35.6 Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
88	Parking Brake	Park in Transmission	Park in Transmission	Park in Transmission
S S	Front Tyres	27x9.00R12 NHS; CST Clincher	30 x 10-15; Pro Armor Crawler XGF or ITP Ultra Cross® R Spec	30 x 10-15; Pro Armor Crawler XGF or ITP Ultra Cross® R Spec
ES/	Rear Tyres	27x11.00R12 NHS; CST Clincher	30 x 10-15; Pro Armor Crawler XG or ITP Ultra Cross® R Spec	30 x 10-15; Pro Armor Crawler XG or ITP Ultra Cross® R Spec
₹ ≤	Wheels	12" Aluminum	15" Aluminum	15" Aluminum
	Wheelbase	206 cm	211 cm	292 cm
	Dry Weight	645 kg	750 kg	885 kg
	Overall Vehicle Size (L x W x H)	295.6 x 158.7 x 187.4 cm	300.2 x 162.5 x 194.3 cm	381.5 x 162.5 x 195.1 cm
Ë	Ground Clearance	30.5 cm	34.3 cm	34.3 cm
\PAC	Seating Capacity	2	2	4
S/C/	Fuel Capacity	35.9 L	35.9 L	35.9 L
DIMENSIONS / CAPACITIES	Bed Box Dimensions (L x W x H)	69.8 x 109 x 29.5 cm	69.8 x 109 x 29.5 cm	69.8 x 109 x 29.5 cm
MIG	Front/Rear Rack or Box Capacity	N.A. / 272 kg Rear Dumping Box	N.A. / 272 kg Rear Dumping Box	N.A. / 272 kg Rear Dumping Box
	Payload Capacity _	499 kg	499 kg	580 kg
	Hitch Towing Rating _	680 kg	680 kg	680 kg
	Hitch Type	Standard/5.08 cm Receiver	Standard/5.08 cm Receiver	Standard/5.08 cm Receiver
	Cargo System/Cab	Lock & Ride®	Lock & Ride®	Lock & Ride®
	Lighting _	55W Low / 60W High, LED Taillights	LED Headlight w/ Accent & LED Taillights	LED Headlight w/ Accent & LED Taillights
	Electronic Power Steering	Standard	High Output EPS	High Output EPS
FEATURES	Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Select- able Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/ Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet
	Other Standard Features	N.A	POLARIS HD 4500 LB Winch w/ Synthetic Rope, Aluminum Fairlead & Rubber Isolator Sport Low Profile Front Bumper ProFit Sport Roof	POLARIS HD 4500 LB Winch w/ Synthetic Rope, Aluminum Fairlead & Rubber Isolator Sport Low Profile Front Bumper ProFit Sport Roof
	Colours	White Lightning	Ghost Gray	Ghost Gray









RZR TRAIL SPORT - 50"

RZR TRAIL S 1000 PREMIUM - 60"

RZR XP 1000 SPORT - 64"

RZR PRO XP SPORT - 64"

Fasina Tona	A COLLA POUCT : O II I	/ OL L BOUGT : O.F. L	/ OL 1 DOUGT : O.F. I	/ O:
Engine Type	4-Stroke DOHC Twin Cylinder	4-Stroke DOHC Twin Cylinder	4-Stroke DOHC Twin Cylinder	4-Stroke DOHC Twin Cylinder Turbocharged
Displacement	875cc	999cc	999cc	925cc
Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
Cooling	Liquid	Liquid	Liquid	Liquid
Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
Drive System	True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD
Engine Braking System / Active Descent Control	Yes / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped
Front Suspension	Dual A-Arm with Stabilizer Bar and 25.4 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 31.1 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Tra 43.2 cm Wheel Travel
Rear Suspension	Dual A-Arm with Stabilizer Bar and 25.4 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 33.5 cm Wheel Travel	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 45.7 cm of Wheel Travel	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar a 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
Front/Rear Brakes - Parking Brake	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Cali
	Park in Transmission	Park in Transmission	Park in Transmission	Park in Transmission
Front Tyres	26 X 8 X 12; PXT	27 x 9-12; Trailmaster A/T	29 x 9-14; Radial Tire	30 x 10-14 MAXXIS Carnivore; Wheel Size 14x6
Front Tyres Rear Tyres -	26 X 9 X 12; PXT	27 x 11-12; Trailmaster A/T	29 x 11-14; Radial Tire	30 x 10-14 MAXXIS Carnivore; Wheel Size 14x7
Wheels	Stamped Steel	Cast Aluminum	Cast Aluminum	Cast Aluminum
Wheelbase	200.7 cm	200.7 cm	228.6 cm	244 cm
Dry Weight	561.5 kg	600 kg	662 kg	796Kg
Overall Vehicle Size (L x W x H)	282 x 127 x 172.5 cm	282 x 152.4 x 176 cm	302.2 x 162.6 x 187.3 cm	320 x 162.6 x 182.1 cm
- Ground Clearance	27.9 cm	31.8 cm	35.6 cm	36.8 cm
Seating Capacity	2	2	2	2
Fuel Capacity	35.9 L	35.9 L	35.9 L	45.4 L
Bed Box Dimensions (L x W x H)	52.5 x 94 x 20 cm	52.5 x 94 x 20 cm	72.0 x 57.0 x 17.8 cm	66 x 45 x 29.2 cm
Front/Rear Rack or Box Capacity	N.A. / 136 kg	N.A. / 136 kg	N.A. / 136 kg	N.A. / 136 kg
Payload Capacity	336 kg	336 kg	336 kg	336 kg
Hitch Towing Rating	680 kg	680 kg	N/A	N/A
Hitch Type	Standard 3.2 cm Receiver	Standard 3.2 cm Receiver	Not Equipped	Not Equipped
Cargo System/Cab	Lock & Ride®	Lock & Ride®	Lock & Ride®	Lock & Ride®
Lighting	Halogen 55W low/ 60W high & Red LED Tail/Brake Lights	Front Blacked Out Signature White LED Low/High with Accent Lights & Red LED Tail / Brake Lights	Signature White LED, Low/High & Red LED Tail / Brake Lights	White LED Low/High & Red LED Tail / Brake Lights
Lighting - Electronic Power Steering - -	Halogen 55W low/ 60W high & Red LED Tail/Brake Lights		Signature White LED, Low/High & Red LED Tail / Brake Lights Standard with Quick Turn Rack	
Electronic Power Steering _		/ Brake Lights		High Assist Electronic Power Steering with Quick Turn Rack; Race Ins
Electronic Power Steering _	No  Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Ddometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Bauge, Coolant Temperature, Voltmeter, Service Indicator	/ Brake Lights  Yes  Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/ Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Ta- chometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear	Standard with Quick Turn Rack  Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat	High Assist Electronic Power Steering with Quick Turn Rack; Race Ins Steering Wheel  Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Sel Blue/Red Backlighting & Brightness, Programmable Service Intervals, ometer, Tachometer, Ddometer, Tripmeter, Clock, Hour Meter, Gear, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Cod

SPORT/RECREATIONAL SPECIFICATIONS









RZR PRO XP ULTIMATE - 64"

RZR XP 4 1000 PREMIUM EPS - 64"

RZR PRO XP 4 SPORT - 64"

RZR PRO XP 4 ULTIMATE - 64"

	Engine Type	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder Turbocharged
¥	Displacement	925cc	999cc	925cc	925cc
ENGINE	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
ш	Cooling	Electronic Fuel Injection  Liquid	Electronic Fuel Injection  Liquid	Electronic Fuel Injection  Liquid	Electronic Fuel Injection  Liquid
	Transmission/				·
DRIVETRAIN	Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
NET.	Drive System	Isolated Xtreme Performance True On-Demand AWD/2WD	High Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD
	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped
SUSPENSION	Front Suspension	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel	Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 40.6 cm of Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel	High-Clearance Dual A-Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 43.2 cm Wheel Travel
SUSPE	Rear Suspension	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel	Trailing Arm with Stabilizer Bar and 50.8 cm Usable Travel*, 45.7 cm of Wheel Travel	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel	Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and 55.9 cm Usable Travel*, 50.8 cm Wheel Travel
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore XL Front and Dual-Bore Rear Calipers	4-Wheel Hydraulic Disc with Dual-Bore XL Front and Dual-Bore Rear Calipers
8	Parking Brake	Park in Transmission	Park in Transmission	Park in Transmission	Park in Transmission
S	Front Tyres	30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x6	29 x 9-14; Radial Tire	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x6	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x6
WHEELS	Rear Tyres	30 x 10-14 MAXXIS Carnivore (8-Ply); Wheel Size 14x7	29 x 11-14; Radial Tire	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x7	30 x 10-14 Maxxis Carnivore II; (8-ply rated); Wheel Size 14x7
5	Wheels	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum
	Wheelbase	244 cm	297.2 cm	317.5 cm	317.5 cm
	Dry Weight	814 kg	762 kg	916 kg	937 kg
(L x W	Overall Vehicle Size (L x W x H)	320 x 163 x 182 cm	370.8 x 162.6 x 187.3 cm	393.7 x 162.6 x 186.9 cm	393.7 x 162.6 x 186.9 cm
	Ground Clearance	36.8 cm	35.6 cm	36.8 cm	36.8 cm
	Seating Capacity	2	4	4	4
2	Fuel Capacity	45.4 L	35.9 L	49.2 L	49.2 L
SIONS	Bed Box Dimensions (L x W x H)	66 x 45 x 29.2 cm	72.0 x 57.0 x 17.8 cm	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm
DIME	Front/Rear Rack or Box Capacity	N.A. / 136 kg	N.A. / 136 kg	N.A. / 136 kg	N.A. / 136 kg
	Payload Capacity	336 kg	408 kg	408 kg	408 kg
	Hitch Towing Rating	N/A	N/A	N/A	N/A
	Hitch Type	Not Equipped	Not Equipped	Not Equipped	Not Equipped
	Cargo System/Cab	Lock & Ride®	Lock & Ride®	Lock & Ride®	Lock & Ride® Fold Flat Rear Storage, convertible rear seat storage with integrated tie down points, 70.4 x 134.1 x 49.53 cm
	Lighting _	Signature White LED, Low / High & Red LED Tail / Brake Lights; Front & Rear LED Accent Lights	Front Blacked Out Signature White LED Low/High w/ Accent Lights & Red LED Tail / Brake Lights	Signature White LED, Low/High & Red LED Tail / Brake Lights	Signature White LED, Low / High & Red LED Tail / Brake Lights; Front & Rear LED Accent Lights; Interior Accent Lighting
	Electronic Power Steering	High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping adjustment; Dynamix and Ride Command Push Button Controls	Standard with Quick Turn Rack	High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel	High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping adjustment; Dynamix and Ride Command Push Button Controls
FEATURES	Instrumentation	RIBE COMMAND® "7 Glove-Touch Display: DYNAMIX 2.0 Visualizer, Built-In GPS, Group ride (cell-based or GPS based), Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headests, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front Speakers, and External 400W Amp) Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Digital Instrumentations, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4° LCD Rider Information Center: User Selectable Blue/ Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Ta- chometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, Front and Rear DC Outlet	RIDE COMMAND® 7' Glove-Touch Display: DYNAMIX 2.0 Visualizer, Built-In GPS, Group ride (cell-based or GPS based). Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AMFH 8. Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, 2 Front Speakers, and External 400W Ampl Dual-sweep Analog Dials w 4' LLDR Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet
	Other Standard Features	RIDE COMMAND® , High Output 900w charging system with sealed electrical, Polaris Pulse system, USB Charging, Front Bumper, In-Dash Charge Port, Cut & Sew Seats, Polaris P.A.S.S., Rockford Fosgate Stage 3 Audio.	Adjustable Tilt Steering, Front & Rear LED Accent Lights	High Output 900w charging system with sealed electrical, Polaris Pulse system, In-Dash Charge Port, Polaris P.A.S.S.	RIDE COMMAND® , High Output 900w charging system with sealed electrical, Polaris Pulse system, USB Charging, Front Bumper, In-Dash Charge Port, Cut & Sew Seats, Polaris P.A.S.S., Rockford Fosgate Stage 3 Audio.
	Colours	Sunset Red	Onyx Black	Ghost Gray	Sunset Red







### RZR TURBO R SPORT - 74"

### RZR TURBO R ULTIMATE - 74"

### RZR TURBO R 4 ULTIMATE- 74"

	Engine Type	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder Turbocharged	4-Stroke DOHC Twin Cylinder Turbocharged
뿔	Displacement	925cc	925cc	925cc
ENG	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	Electronic Fuel Injection
	Cooling	Liquid	Liquid	Liquid
N	Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H
IVETR	Drive System	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD	Isolated Xtreme Performance True On-Demand AWD/2WD
FEATURES DIMENSIONS/CAPACITIES TYRES AND BRAKES SUSPENSION DRIVETRAIN DRIVETR	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Not Equipped / Not Equipped	Not Equipped / Not Equipped
NOISI	Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs
Displacement Fuel System / Battery Cooling Transmission/ Final Drive Drive System Engine Braking System Active Descent Control Front Suspension Front/Rear Brakes Parking Brake Front Tyres Rear Tyres Wheels Wheelbase Dry Weight Overall Vehicle Size (L x W x H) Ground Clearance Seating Capacity Fuel Capacity Fuel Capacity Payload Capacity Payload Capacity Hitch Towing Rating Hitch Type Cargo System/Cab Lighting Electronic Power Steerin	Rear Suspension	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9cm Wheel Travel, Unitized Hubs	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9cm Wheel Travel, Unitized Hubs	Tubular Trailing Arm with boxed gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 71.9cm Usable Travel, 56.9 cm Wheel Travel, Unitized Hubs
	Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor
R.	Parking Brake	Park in Transmission	Park in Transmission	Park in Transmission
2 s	Front Tyres	$32 \times 10$ -15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
ESA EESA	Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
₹≥	Wheels	Painted Cast Aluminum Rim with 5-Lug Pattern	Painted Cast Aluminum Rim with 5-Lug Pattern	Painted Cast Aluminum Rim with 5-Lug Pattern
	Wheelbase	244 cm	244 cm	317.5 cm
	Dry Weight	881 kg	913 kg	1,037 kg
S		325 x 188 x 189 cm	325 x 188 x 189 cm	340 x 188 x 196 cm
Ĕ	Ground Clearance	40.6 cm	40.6 cm	40.6 cm
APA(	Seating Capacity	2	2	4
S/C	Fuel Capacity	45.4 L	45.4 L	49.2 L
NSION	(L x W x H)	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm	66 x 45 x 29.2 cm
DIME		N.A. / 136 kg	N.A. / 136 kg	N.A. / 136 kg
	Payload Capacity	331 kg	331 kg	526 kg
	Hitch Towing Rating	N/A	N/A	N/A
	Hitch Type	Not Equipped	Not Equipped	Not Equipped
	Cargo System/Cab -	Lock & Ride®	Lock & Ride®	Lock & Ride® Fold Flat Rear Storage, convertible rear seat storage with inte- grated tie down points, 70.4 x 134.1 x 49.53 cm
	Lighting -	Low/High & Red LED Tail / Brake Lights	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting
	Electronic Power Steering -	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt Adjustment	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls
FEATURES	Instrumentation	Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator	RIDE COMMAND™ 7 Glove-Touch Display: Built-In GPS, Mapping, Vehicle-to-Vehicle with "Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AMFM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio, Including 2 Tweeters, and 2 Front Speakers, and Extremal 400W Ampl Duds-weep Analog Dises w 4 in LOB Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Services Intervals. Digital Instrumentation: Speedometer, Tachometer, Odometer, Torphoneter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator	RIDE COMMAND"?" Glove-Touch Display: Built-in GPS, Mapping, Vehicle-to-Vehicle with "Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AMFM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including) 2 Weeters, and 2 Front Speakers, and Extrant 400W Amp Dubla-sweep Analog Bials wid 4 in LDB Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Digital Instrumentation: Speedmeter, Tachometer, Optometer, Tripmeter, O
	Other Standard Features	High Output 900w charging system, Polaris Pulse system, In-Dash Vehicle Charge Port, 2 DC Accy ports, Polaris P.A.S.S., Colored Toe Link, Mud and Rock Guards	RIDE COMMAND®, High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 2 front DC Accy ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Mud and Rock Guards	RIDE COMMAND®, High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 1 front DC Accy ports, 1 rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Mud and Rock Guards
	Colours	Onyx Black	Orange Madness	Orange Madness





### RZR PRO R ULTIMATE - 74"

### RZR PRO R 4 ULTIMATE - 74"

	-			
	Engine Type	4-Stroke DOHC Inline Four Cylinder	4-Stroke DOHC Inline Four Cylinder	
ENGINE	Displacement	1997cc	1997cc	
ENG	Fuel System / Battery	Electronic Fuel Injection	Electronic Fuel Injection	
	Cooling	Liquid	Liquid	
AIN	Transmission/ Final Drive	Automatic PVT P/R/N/L/H	Automatic PVT P/R/N/L/H	
DRIVETRAIN	Drive System	Pro Performance True 2WD/4WD/4WD Lock	Pro Performance True 2WD/4WD/4WD Lock	
DRI	Engine Braking System / Active Descent Control	Not Equipped / Not Equipped	Not Equipped / Not Equipped	
NOISI	Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 68.6 cm Usable Travel, 56.5 cm Wheel Travel, Unitized Hubs	
SUSPENSION	Rear Suspension	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 73.7cm Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar and 73.7cm Usable Travel, 62.2 cm Wheel Travel, Unitized Hubs	
BRAKES	Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor	
B.	Parking Brake	Park in Transmission	Park in Transmission	
S S	Front Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	
SH	Rear Tyres	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7	32 x I0-16 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7  32 x 10-16 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7  Painted Cast Aluminum Rim with 5-Lug Pattern  339.1cm  1,125 kg	
₹≥	Wheels	Painted Cast Aluminum Rim with 5-Lug Pattern	Painted Cast Aluminum Rim with 5-Lug Pattern	
	Wheelbase	265.4cm	339.1cm	
	Dry Weight	992 kg	1,125 kg	
S	Overall Vehicle Size (L x W x H)	347 x 188 x 185 cm	420 x 188 x 194 cm	
Ë	Ground Clearance	40.6 cm	40.6 cm	
APA(	Seating Capacity	2	4	
S/C	Fuel Capacity	45.4 L	46.56 L	
DIMENSIONS / CAPACITIES	Bed Box Dimensions (L x W x H)	75 x 60.5 x 20.6 cm	75 x 60.5 x 20.6 cm	
DIME	Front/Rear Rack or Box Capacity	N.A. / 136 kg	N.A. / 136 kg	
	Payload Capacity 336 kg		408 kg	
	Hitch Towing Rating	N/A	N/A	
	Hitch Type	Not Equipped	Not Equipped	
	Cargo System/Cab	Lock & Ride® Factory Equipped Cargo Liner	Lock & Ride <sup>™</sup> ; Convertible Fold Flat rear seat storage with integrated tie downs points, 70.4 x 134.1 x 49.53 cm Factory Equipped Cargo Liner	
	Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting	
	Electronic Power Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack: Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; DYNAMIX DV with Integrated EPS Modes and Ride Command Push Button Controls	
FEATURES	Instrumentation	RIDE COMMAND" 7' Glove-Touch Display: Built-In GPS, Mapping, Vehicle-to-Vehicle with "Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets, Rockford Fosgate Premium Audio (Including 2 Tweeters, and 2 Front Speakers, and External 400W Ampl Dual-sweep Analog Dials w/4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Digital Instrumentation: Speedometer, Tachometer, Ddometer, Tripmeter, Glock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator	RIDE COMMAND™ 7 Glove-Touch Display: Built-In GPS, Mapping, Vehicle-to-Vehicle with  *Group Ride, Follow the Leader, & Messaging, Bluetooth & USB Smartphone Connectivity,  AM/FM & Weather Radio, In-Vehicle Communications Capable With Optional Sena Headsets,  Rock Topic Speakers, and Activation of Page 1 Senate Speakers, and Activation of Page 1 Senate Speakers, and Activation of Page 1 Senate Speakers, and Betterhald 400W Amp) Dual-sweep Analog Dials w 4 in LCD Rider Information Center: User  Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Digital  Instrumentation: Speadometer, Tachometer, Golometer, Tipneter, Clock, Hour Meter, Gear  Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat  Belt Reminder Light, Gear Indicator	
	Other Standard Features	RIDE COMMAND®, High Output External 1700W Alternator, Polaris Pulse System, In-Dash Charge Port, Z front DC Accy ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Hood Scopo, Mud and Rock Guards, User Selectable Throttle Modes (Sport, Rock, & Race)	RIDE COMMAND®, High Output External 1700W Alternator, Polaris Pulse System, In-Dash Charge Port, I front DC Accy ports, I rear DC Accy port, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Hood Scoop, Mud and Rock Guards, User Selectable Throttle Modes (Sport, Rock, & Race)	

NOTES	

NOTES		









Polaris reserves the right to withdraw any product from sale or change specifications and pricing without notice. Confirm model specifications and availability with your Polaris Dealer prior to ordering. The Polaris range is not intended for and may not be registered for on-road use. All competitive comparisons are based on published manufacturer specifications available at December 2022 unless otherwise specified. See other manufacturers for latest specifications. All photography taken with professional riders and drivers. For your safety, always operate Polaris products as instructed in the product manual and on warning labels. Never carry passengers on any product not designed for such use. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others. Avoid excessive speeds and be particularly careful on difficult terrain. ©Polaris Sales Australia Pty Ltd ABN 62 088 081 949, Registered Office: 36 Grimes Court, Derrimut, VIC 3026. Printed December 2022.

# PERLARIS Think Outside